



# ASTORIA

Design Guide




Ceiling



Wall



## PROFILE DIMENSIONS



## AVAILABLE TIVOTAPE™ OPTIONS

<b>SB</b>	<b>XS</b>	<b>HO</b>	<b>HD</b>	<b>VHO</b>	<b>Tunable White</b>	<b>RGB</b>	<b>RGBW</b>
2200K	2400K	2700K	3000K	3000K 3500K	2200K 3000K		
	3500K	4000K	5000K		2700K 4000K		
					2200K 6500K		

## ORDERING INFORMATION



**ASTR-CHAN-SLV-6.5**  
Anodized Aluminum Extrusion,  
available in 6.5' lengths



**ASTR-LNS-DIF-6.5**  
Lens, diffuser, length 6.5'



**ASTR-LNS-CLR-6.5**  
Lens, clear, length 6.5'



**ASTR-EC-01**  
Solid End Cap




**ASTR-EC-02**  
Powerfeed End Cap



**ASTR-CLP-SLV**  
Clip, Metal

**PHOTOMETRICS BASED ON 3000K/HO/ELITE TIVOTAPE**




**ASTORIA WITH CLEAR LENS**

Lumens per foot: 342.57

Watts per foot: 4

CRI : 94.6

Peak Candela: 158.96



**ASTORIA WITH DIFFUSED LENS**

Lumens per foot: 230.97

Watts per foot: 4

CRI : 95.2

Peak Candela: 64.47

