



T8 FLUORESCENT INDUSTRIAL STRIP W/ REFLECTOR (1 LAMP)



PRODUCT FEATURES:

- Heavy-duty 20-gauge steel utilized throughout for durability and code compliance
- Powder-coated painted for maximum operating life
- Pretreated with five-stage iron phosphate process to ensure superior paint adhesion
- Painted high-gloss baked white enamel
- Suitable for dry and damp environments
- Thermally protected, self-resetting, Class P, NPF, non-PCB and UL listed ballast
- Suitable for surface and/or suspended mounting
- Individual or continuous row mounting
- Standard reflector is manufactured in high reflectance white
- Reflector is secured to housing with 1/4 turn fasteners (ships separately)
- Reflector options:
 - Aluminium high reflectance white paint/slotted (20% uplight)
 - Aluminium specular silver/slotted (20% uplight)
 - Aluminium white asymmetrical reflector
 - Aluminium specular silver/asymmetrical reflector

- NEC required ballast disconnect is standard
- CEE qualified ballast comes standard on most fixture options (Consult factory for details)

LISTING

UL/C-UL listed to US and Canadian standard

WARRANTY

Guaranteed for one year against mechanical defects

NOTE: All Aluminium Reflectors are special order (check with factory)

T8
OCNR

Ordering Information > Example: 2-OCNR-1-17-T8-MVOLT-EMG-T8-BX-700

2	OCNR							
FIXTURE SIZE	SERIES	WATTAGE	VOLTAGE ¹	# OF BALLAST	BALLAST FACTOR	REFLECTOR OPTIONS		
2'-2'	OCNR Oracle Industrial Series with Reflector	2' FIXTURE 1-17-T8 (1 lamp/17W/T8)	(Blank) - MVOLT (120/277) 120 277 347	(Blank) - 1 Ballast 2- 2 Ballasts	(Blank) - Normal BF HBF - High BF LBF - Low BF	Refer to page 291		

BALLAST CONFIGURATION & CODE	
17W/T8	DESCRIPTION
(Blank)	Electronic Instant Start
EPS	Electronic Program Start
ADV-7	Advance Mark-7 ¹
ADV-10	Advance Mark-10 ¹
-	Advance Optanium ¹
ADV-ESS	Advance Essential ¹
ADV-ROVR	Advance Rover ¹
-	Lutron Ecosystem H-Series ¹
-	Lutron Tu-Wire ¹
LUT-EC5	Lutron Ecosystem ¹
LUT-EC3	Lutron Eco-10 ¹
-	Lutron Tve ¹
LUT-H3D	Lutron Hi-Lume 3D ¹
-	Lutron Ecosystem (347V Only) ¹

¹ - Voltage must be specified for dimming ballast.

REMOTE EMERGENCY BATTERY PACK OPTIONS (L. = LUMENS)	
ORDER CODE	DESCRIPTION
EMG-T8-BX-450	Up to 450 L. for T8 or BX
EMG-T8-BX-600	Up to 600 L. for T8 or BX
EMG-T8-BX-700	Up to 700 L. for T8 or BX
EMG-T8-BX-1400	Up to 1400 L. for T8 or BX
EMG-T8-BX-T5-T5HO-3200	Up to 3200 L. for T8, BX, T5 or T5HO
EMG-SD-T8-BX-T5-T5HO-1400	Self-Diagnostic 1400 L. for T8, BX, T5 or T5HO
EMG-ICE-T8-BX-T5-T5HO-1400	ICE Pack 1400 L. for T8, BX, T5 or T5HO
GTD	Generator Transfer Device













WIRING OPTIONS	
C3	- 6' 3-wire Flex Cable (Single Circuit)
C4	- 6' 4-wire Flex Cable (Double Circuit)
FBF	- Internal Fast Blow Fuse
SBF	- Internal Slow-Blow Fuse
RIS	- Radio Interference Suppressor

OTHER OPTIONS	
OCNRMS	- Motion Sensor
OCNRVH	- V Hook and Chain Kit
OCNRGSS	- Cable Gripper Suspension Kit
USA	- Made in America Compliance

2' Fluorescent Industrial Strip

ACCESSORIES SECTION

WHITE/ SILVER REFLECTOR GUIDE FOR OCR AND OCNR

REFLECTOR FOR OCR-2 LAMP	REFLECTOR FOR OCNR-1 LAMP
 <p>SYMMETRICAL</p> <p>2-OCR-2-SYM-(WH)(SR) 3-OCR-2-SYM-(WH)(SR) 4-OCR-2-SYM-(WH)(SR) 8-OCR-2-SYM-(WH)(SR)</p>	 <p>SYMMETRICAL</p> <p>2-OCNR-1-SYM-(WH)(SR) 3-OCNR-1-SYM-(WH)(SR) 4-OCNR-1-SYM-(WH)(SR) 8-OCNR-1-SYM-(WH)(SR)</p>
 <p>ASYMMETRICAL</p> <p>2-OCR-2-ASY-(WH)(SR) 3-OCR-2-ASY-(WH)(SR) 4-OCR-2-ASY-(WH)(SR) 8-OCR-2-ASY-(WH)(SR)</p>	 <p>ASYMMETRICAL</p> <p>2-OCNR-1-ASY-(WH)(SR) 3-OCNR-1-ASY-(WH)(SR) 4-OCNR-1-ASY-(WH)(SR) 8-OCNR-1-ASY-(WH)(SR)</p>
 <p>INSIDE ASYMMETRICAL</p> <p>2-OCR-2-IAS-(WH)(SR) 3-OCR-2-IAS-(WH)(SR) 4-OCR-2-IAS-(WH)(SR) 8-OCR-2-IAS-(WH)(SR)</p>	 <p>INSIDE ASYMMETRICAL</p> <p>2-OCNR-1-IAS-(WH)(SR) 3-OCNR-1-IAS-(WH)(SR) 4-OCNR-1-IAS-(WH)(SR) 8-OCNR-1-IAS-(WH)(SR)</p>
 <p>ELLIPTICAL</p> <p>2-OCR-2-ELR-(WH)(SR) 3-OCR-2-ELR-(WH)(SR) 4-OCR-2-ELR-(WH)(SR) 8-OCR-2-ELR-(WH)(SR)</p>	 <p>ELLIPTICAL</p> <p>2-OCNR-1-ELR-(WH)(SR) 3-OCNR-1-ELR-(WH)(SR) 4-OCNR-1-ELR-(WH)(SR) 8-OCNR-1-ELR-(WH)(SR)</p>
 <p>DOWNLIGHT</p> <p>2-OCR-2-DLRL-(WH)(SR) 3-OCR-2-DLRL-(WH)(SR) 4-OCR-2-DLRL-(WH)(SR) 8-OCR-2-DLRL-(WH)(SR)</p>	 <p>DOWNLIGHT</p> <p>2-OCNR-1-DLRL-(WH)(SR) 3-OCNR-1-DLRL-(WH)(SR) 4-OCNR-1-DLRL-(WH)(SR) 8-OCNR-1-DLRL-(WH)(SR)</p>
 <p>UPLIGHT SYMMETRICAL</p> <p>2-OCR-2-SYM-UPL-(WH)(SR) 3-OCR-2-SYM-UPL-(WH)(SR) 4-OCR-2-SYM-UPL-(WH)(SR) 8-OCR-2-SYM-UPL-(WH)(SR)</p>	 <p>UPLIGHT SYMMETRICAL</p> <p>2-OCNR-1-SYM-UPL-(WH)(SR) 3-OCNR-1-SYM-UPL-(WH)(SR) 4-OCNR-1-SYM-UPL-(WH)(SR) 8-OCNR-1-SYM-UPL-(WH)(SR)</p>

REFLECTOR FINISH

Reflectors are manufactured in aluminium high reflectance specular silver & white finishes. Custom colors or finishes are available upon request.

- WH (High Efficiency White Reflector)
- SR (High Efficiency Silver Reflector)

REFLECTOR MOUNTING

Reflectors mount onto existing ballast covers.