### CP4452 ARIES™

32" Diameter



Visalighting.com/products/Aries

Type: Project: Location:





#### DIMENSIONS<sup>4</sup>

OAH is the distance (in inches) from the bottom of the fixture to the ceiling plane. Example - OAH(36) indicates an overall fixture height of 36"


#### ▲ 0AH must be specified

W = Width	OAH = Overall Height	X = Body Height
W 32" X 3-5/8" OAH 30"	(813 mm) (92 mm) (762 mm)	- G
	OAH	
		X


#### **FEATURES**

- Integral driver
- Modular design for replacement of LED source and driver
- Mounts to standard electrical junction box (by others) for sloped ceiling up to 45° from horizontal
- Thermally formed 1/8" thick white acrylic diffuser with matte finish
  - UV stable
  - UL-94 HB Flame Class rated
- Thermally formed
- No VOC powder coat paint finish; low VOC clear coat on metal finishes
- ETL listed for damp locations. Not suitable for exterior applications

#### **RELATIVE SCALE DRAWING**



#### **PHOTOMETRICS**







# CP4452 ARIES (cont.)

### 32" Diameter



#### Fill in shaded boxes using information listed below CP4452 **MVOLT** MODEL SOURCE<sup>1</sup> SOURCE OPTION<sup>2</sup> VOLTAGE FINISH OPTION3 OAH4 L30K(H) IEM MVOLT DCC See last page See page 1 L30K(L) for finish L35K(H) order codes L35K(L) L40K(H) L40K(L)

#### SOURCE<sup>1</sup> (Select one)

Dimmable 0-10V to 1%, Minimum 83CRI, within 3-step MacAdam

Source	ССТ	Delivered Lumens	Power/Watts
L30K(H)	3000K	16700	148
L30K(L)	3000K	12400	104
L35K(H)	3500K	17300	148
L35K(L)	3500K	12800	104
L40K(H)	4000K	17600	148
L40K(L)	4000K	13000	104

VOLTAGE

MVOLT	120-277V, 50/60 Hz

### SOURCE OPTION<sup>2</sup>

▲ Option availability may be interdependent with Voltage, Source or Other Options

IEM	Integral emergency battery pack, specify 120V or 277V
-----	---

#### OPTION3

▲ Option availability may be interdependent with Other Options

DCC	Damp clear coat for metal finishes (required for 5 year warranty
	when used in damp locations)

## CP4452 ARIES (cont.)

#### 32" Diameter



#### **ARIES PRODUCT FAMILY**

- CP4450 22" Diameter
- CP4452 32" Diameter

• CP4454 - 42" Diameter

See www.Visalighting.com/products/Aries for more information

#### SUGGESTED VARIATIONS

· Custom colors

#### **FINISHES**

Specify color code when ordering. For accurate color matching, individual paint and finish samples are <u>available upon request</u>. For more information about our finishes visit <u>visalighting.com/finishes</u>

Powder Coat Paint Finishes (Standard)



#### Alternative Metal Finishes (Premium)



Metal Finish (Premium)



This document contains information which is the property of Visa Lighting, and may not, in whole or in part, be duplicated, disclosed, or used for design or manufacturing purposes without the prior written permission of Visa Lighting. ©Visa Lighting. Design Modification Rights Reserved. Visa Lighting reserves the right to change specifications for product improvement without notification.