


# AVATAR™ OUTDOOR – PERFORATED ACCENT

OW1331/OW1333/OW1335/OW1337


[VisaLighting.com/products/Avatar](https://VisaLighting.com/products/Avatar)

Type: \_\_\_\_\_ Project: \_\_\_\_\_ Location: \_\_\_\_\_




## DIMENSIONS<sup>1</sup>


Depth is measured from wall to front of fixture

L = Length D = Depth W = Width

	OW1331	OW1333	OW1335	OW1337
<b>L</b>	19-3/4" (502 mm)	25-1/8" (638 mm)	36-1/8" (918 mm)	47-1/4" (1200 mm)
<b>D</b>	4" (102 mm)			
<b>W</b>	7-1/4" (184 mm)			




## RELATIVE SCALE DRAWING



## FEATURES

- Modular design for replacement of LED source and integral driver
- Vertical mounting standard (horizontal mounting optional)
- Mounts to standard electrical junction box (by others) and wall with provided hardware
- Removable cam-action hinged frame for ease of maintenance
- Extruded aluminum backplate and center accent, die-cast end caps. Solid metal or die-cast accent
- Sealed and gasketed construction
- High impact white acrylic diffuser
  - F1 rated, UV stable
  - UL-94 HB Flame Class rated
- No VOC powder coat paint or stainless steel finish
- ETL listed for wet location mounting 4' above grade

## PHOTOMETRICS



ADA Compliant



XPS



ETL Listed



5 Year Warranty

# AVATAR OUTDOOR – PERFORATED ACCENT (cont.)

## OW1331/OW1333/OW1335/OW1337



Fill in shaded boxes using information listed below

- MVOLT					
<b>MODEL<sup>1</sup></b> OW1331 OW1333 OW1335 OW1337  See page 1	<b>SOURCE<sup>2</sup></b> • L30K(H) • L30K(L) • L35K(H) • L35K(L) • L40K(H) • L40K(L)	<b>VOLTAGE</b> MVOLT	<b>FRAME/PERFORATION</b> <b>FINISH</b>  See last page for finish order codes	<b>ACCENT BAR AND</b> <b>END CAP FINISH</b>  See last page for finish order codes	<b>OPTION(S)<sup>3</sup></b> HM XPS  See page 1

### SOURCE<sup>2</sup> (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

Source	CCT	OW1331		OW1333		OW1335		OW1337	
		Delivered Lumens	Power/Watts	Delivered Lumens	Power/Watts	Delivered Lumens	Power/Watts	Delivered Lumens	Power/Watts
• L30K(H)	3000K	1200	15	1600	19	2400	29	3300	38
• L30K(L)	3000K	800	9	1100	13	1600	19	2200	25
• L35K(H)	3500K	1200	15	1600	19	2400	29	3300	38
• L35K(L)	3500K	800	9	1100	13	1600	19	2200	25
• L40K(H)	4000K	1200	15	1700	19	2500	29	3400	38
• L40K(L)	4000K	800	9	1100	13	1700	19	2200	25

### VOLTAGE

<b>MVOLT</b>	120-277V, 50/60 Hz
--------------	--------------------

### OPTIONS<sup>3</sup> (Multiple Selections Allowed)

⚠ Option availability may be interdependent with Other Options

<b>HM</b>	Horizontal mount (vertical is standard)
<b>XPS</b>	Express 10 day shipping. Items marked with a bullet (●) are not available with XPS

# AVATAR OUTDOOR – PERFORATED ACCENT (cont.)

## OW1331/OW1333/OW1335/OW1337



### AVATAR PRODUCT FAMILY

Outdoor	Single Bar	• OW1301, OW1303, OW1305, OW1307
	Dual Bars	• OW1311, OW1313, OW1315, OW1317
	Perforated	• OW1331, OW1333, OW1335, OW1337
Indoor	Single Bar	• CV2009, CV2011, CV2013, CV2015
	Dual Bars	• CV2025, CV2027, CV2029, CV2031

### SUGGESTED VARIATIONS

- Increase length
- Add/remove bar stock

See [Visalighting.com/Products/Avatar](https://visalighting.com/Products/Avatar) for more information

### FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#). For more information about our finishes visit [visalighting.com/finishes](https://visalighting.com/finishes)

#### Powder Coat Paint Finishes (Standard)

<b>AGGY</b> Agate Grey	<b>ALGN</b> Alpine Green	<b>BJBG</b> Baja Beige	<b>BMAT</b> Bronze Matte	<b>BRNZ</b> Bronze	<b>BSIL</b> Blade Silver	<b>CVBL</b> Cove Blue
<b>DEOR</b> Deoro Gold	<b>GLWT</b> Glacier White	<b>GSIL</b> Graphite Silver	<b>HRGR</b> Harbor Grey	<b>JTBK</b> Jet Black	<b>OCBL</b> Ocean Blue	<b>SHGR</b> Shoreline Grey
<b>SBGN</b> Sagebrush Green	<b>SLGR</b> Slate Grey	<b>SSTP</b> Sierra Taupe	<b>TRCN</b> Terracotta Canyon	<b>TRWT</b> Traffic White	<b>VBLK</b> Velvet Black	<b>VNRD</b> Vineyard Red

#### Metal Finishes (Premium) – Premium metals for Accent Bar and End Caps only

<b>BSS</b> Brushed Stainless Steel	<b>PSS</b> Polished Stainless Steel