CP4109 CARLTON™

42" Bowl, Power Art Cable Suspension



Visalighting.com/products/Carlton

Type: Project: Location:





DIMENSIONS⁴

OAH is the distance (in inches) from the bottom of the fixture to the ceiling plane. Example - OAH(38) indicates an overall fixture height of 38"

▲ OAH must be specified

W = Width OAH = Standard Overall Height X = Body Height NBS = Nominal Bow Size MP = Stem Accent Midpoint

W	41-1/2"	(1054 mm)
OAH	38"	(965 mm)
Χ	10-1/2"	(267 mm)
NBS	37x9"	(940x229 mm)
MP	31-5/8"	(804 mm)

OAH W


Power Art Cable™ (U.S. Patent 8,097,804 B1)

FEATURES


- Integral driver
- Modular design for replacement of LED source and driver
- Easy toolless bowl cleaning
- Mounts through 4" octogonal by 2-1/8" deep electrical junction box (by others) to structural blocking (by others) with provided hardware for ceiling slopes up to 45 degrees from horizontal
- Spun metal trim
- Patented Power Art Cable mounting system uses a braided stainless steel jacket to encapsulate power conductors and provide support
- Thermally formed 1/8" thick white acrylic diffuser with matte finish

 UV stable
- UL-94 HB Flame Class rated
- No VOC powder coat paint; Low VOC clear coat on metal finishes
- ETL listed for damp locations. Not suited for exterior applications

RELATIVE SCALE DRAWING



PHOTOMETRICS









800-788-VISA

CP4109 CARLTON (cont.)

42" Bowl, Power Art Cable Suspension



Fill in shaded boxes using information listed below CP4109 **MVOLT** VOLTAGE OPTION(S)3 MODEL SOURCE1 **TRIM FINISH** DIFFUSER OPTION² OAH4 L30K MVOLT ABA AF See last page See page 1 L35K DCC for finish • L40K XPS order codes

SOURCE¹ (Select one)

Dimmable 0-10V to 10%, Minimum 83CRI, within 3-step MacAdam

Carrea	ССТ	Uplight		Downlight	
Source		Delivered Lumens	Power (Watts)	Delivered Lumens	Power (Watts)
• L30K	3000K	21900		6200	
L35K	3500K	22800	205	6500	67
• L40K	4000K	23500		6700	

VOLTAGE

MVOLT	120-277V, 50/60 Hz
-------	--------------------

DIFFUSER OPTION²

Diffuser is matte white acrylic unless ABA option is selected

ABA Hand Painted Alabaster Alternative	
--	--

OPTIONS³ (Multiple Selections Allowed)


▲ Option availability may be interdependent with Other Options

AF	Add Finial. Addition of AF option increases H dimension (height) by 1-1/8"	
DCC	C Damp clear coat for metal finishes (required for 5 year warranty when used in damp locations)	
XPS	Express 10 day shipping. Items marked with a bullet (•) are not available with XPS	

AF OPTION



STRUCTURAL BLOCKING DETAIL



CP4109 CARLTON (cont.)

42" Bowl, Power Art Cable Suspension



CARLTON PRODUCT FAMILY

Wall Comes	19" Deep Bowl	• CB3442
Wall Sconce	21" Shallow Bowl	• CB3444
Coiling Curfoes Mount	19" Shallow Bowl	• CM1091
Ceiling Surface Mount	26" Deep Bowl	• CM1093
	27" Bowl	• CP4061
Stem Suspension Pendant	35" Bowl	• CP4065
	42" Bowl	• CP4069
	27" Bowl	• CP4101
Power Art Cable Suspension Pendant	35" Bowl	• CP4105
ouspension i chadhe	42" Bowl	• CP4109

See <u>Visalighting.com/products/carlton</u> for more information

SUGGESTED VARIATIONS

- Decrease in lumens
- Custom colors

CP4109 CARLTON (cont.) 42" Bowl, Power Art Cable Suspension



FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are available upon request. For more information about our finishes visit visalighting.com/finishes


Powder Coat Paint Finishes (Standard)



Alternative Metal Finishes (Premium)



Metal Finish (Premium)



Aluminum