



MODEL MORRO

TYPE

**LED** 

SERIES

SITE & AREA

#### **ZUMA LIGHTING LLC**



# **ORDERING INFORMATION**

**Model** MORRO

**Type** LED

**Series** SITE & AREA





FIXTURE	WATTAGE	VOLTS	COLOR TEMP	OPTICS	MOUNT	COLOR	OPTIONS
MO10 = 18"D x 9"H	10W 20W	U = 120v-277v	27K = 2700K	T2	I = post top	DB = Dark	M = Motion Sensor
	30W	8 = 480v	3K = 3000K	Т3	A = • <b>-●</b>	Bronze	
MO20 = 26"D X 20H	40W 60W		4K = 4000K	T4	B = <b>● ◆ ●</b>	BK = Black	PC = Photocell
	90W		5K = 5000K	T5	C = •	WH =	D = Dimming
	120W 150W				D =	White	S = Surge Protection
	160W 180W				E =	SL = Silver	
	200W 240W				E = <b>F</b>	CC = Custom	
					G = ⊢● (wall mount)		



# ADDITIONAL INFORMATION

# Housing

Signature half-dome weathertight housing unit fabricated from one-piece spun aluminum, with continuous heliarc weld at all seams.

## **Electrical Components**

EncapLED, an IP66-rated ETL and DLC listed LED module system, combines optics and heat sink into one configurable unit which give precise light distribution. Available in types II, III, IV & V. It allows us to do 10w., 30w. & 40w. increment adjustment on light output. The module achieves 110-120 lm/w efficacy with LUXEON LUMILEDS TX CHIPS. Beside maximizing heat dissipation surface, we also utilize convection-based heat management which creates additional air flow around each chip. Unlike a big metal heat sink where the temperature for the chips in the middle is higher than the rest, the heat of each EncapLED chip gets dissipated evenly. A better heat dissipation design keeps the junction temperature low and ultimately prolongs the life of the LED chips. Our modules are available in any of our fixture designs, as well as in a simple retro-fit kit form for existing fixtures.

#### **Finish**

Thermoset polyester oven-baked powder coat, in any standard color. Custom colors are available to your specification.


### Mounting

Fixture can be installed on arms or post-top.

# **Certificates & Warranty**

- DLC Listed
- ETL Verified
- Suitable for Wet Locations
- 5-Year Warranty

#### **Dimensions**



	SIZE = 10	SIZE = 20
Α	9"	20"
В	18"	26"
EPA	1.2	2.0
MAX WATTS	120W	240W