



**ZUMALIGHTING**  
QUALITY OUTDOOR SOLUTIONS



MODEL  
**PREMIER**

TYPE  
**LED**








SERIES  
**ARCHITECTURAL**

**ZUMA LIGHTING LLC**  
325 N LARCHMONT BLVD STE 406, LOS ANGELES, CA 90004  
[INFO@ZUMALIGHTING.COM](mailto:INFO@ZUMALIGHTING.COM) • (310) 975-3126 • [ZUMALIGHTING.COM](http://ZUMALIGHTING.COM)

# ORDERING INFORMATION

<b>Model</b> PREMIER
<b>Type</b> LED
<b>Series</b> ARCHITECTURAL



FIXTURE	WATTAGE	VOLTS	COLOR TEMP	OPTICS	MOUNT	SHADE SIZE	COLOR	OPTIONS
PRM	30W 40W 60W 80W 90W 120W 150W 160W 200W 240W	U = 120v-277v  8 = 480v	27K = 2700K  3K = 3000K  4K = 4000K  5K = 5000K	T2  T3  T4  T5	A =   B =   C =   D =   E =   F =   G =  (wall mount)	20 = 20" dia.  24 = 24" dia.  28 = 28" dia.  30 = 30" dia.	DB = Dark Bronze  BK = Black  WH = White  SL = Silver  CC = Custom	M = Motion Sensor  PC = Photocell  D = Dimming  S = Surge Protection  LS = 180° Cutoff Shield

# SPECIFICATIONS

## Housing and Lens

The fixture housing is fabricated from a combination of heavy duty cast and spun aluminum components. The frosted upper accent diffuser is fabricated from acrylic allowing for glow of light.

## Electrical Components

EncapLED, an IP66-rated ETL and DLC listed LED module system, combines optics and heat sink into one configurable unit which give precise light distribution. Available in types II, III, IV & V. It allows us to do 10w., 30w. & 40w. increment adjustment on light output. The module achieves 110-120 lm/w efficacy with LUXEON LUMILEDS TX CHIPS. Beside maximizing heat dissipation surface, we also utilize convection-based heat management which creates additional air flow around each chip. Unlike a big metal heat sink where the temperature for the chips in the middle is higher than the rest, the heat of each EncapLED chip gets dissipated evenly. A better heat dissipation design keeps the junction temperature low and ultimately prolongs the life of the LED chips. Our modules are available in any of our fixture designs, as well as in a simple retro-fit kit form for existing fixtures.

## Mounting

Custom mounting arms available upon request. Contact factory for details.


## Finish

Thermoset polyester oven-baked powder coat, in any standard color. Custom colors are available to your specification.

## Certificates & Warranty

- DLC and ETL Listed
- Suitable for wet locations
- 5-year warranty

## Dimensions



*Shade size also available in 20", 24", and 30" dia.*