

CM2062-T LENGA™

3" Dual Overbed Units – Behavioral Health – Tunable


VisaLighting.com/products/Lenga

Type: _____ Project: _____ Location: _____





SET INCLUDES 2 UNITS IN TANDEM. ORDER ONE MODEL NUMBER PER SET.

DIMENSIONS

W = Width L = Length RD = Recessed Depth RL = Recessed Length


W 4-5/8" (117 mm)
L 48-1/8" (1222 mm)
RD 4-1/8" (105 mm)
RL 47" (1197 mm)




FEATURES

- Integral drivers
- 90+ CRI
- Left and right models wired discretely; units may be wired together in the field
- Recessed housing, conduit entry
- Pin-in-Torx screws standard for lens door
- Ligature resistant; sheetrock/drywall installation (see installation instructions), not suited for grid ceiling installation. Housing integrates with drywall ceilings via mud flange
- High Abuse lens and frame features high impact clear polycarbonate secured with tamper resistant fasteners
- Sealed, gasketed lens
- Housing is fully sealed from plenum and room sides
- IP65 rated
- Chicago Plenum certified
- Not suitable for insulation contact
- Antimicrobial finishes (no VOC) on all interior and exterior painted surfaces
- Not suited for exterior applications

RELATIVE SCALE DRAWING



PHOTOMETRICS



ETL Listed

5 Year Warranty

CM2062-T LENGA (cont.)

3" Dual Overbed Units – Behavioral Health – Tunable



SOLD ONLY AS A DUAL OVERBED SET (SET INCLUDES TWO UNITS IN TANDEM)

Fill in shaded boxes using information listed below

CM2062-T	TUN2	-		
MODEL	SOURCE TUN2		VOLTAGE ¹ 120V 277V	LENS FRAME FINISH
				OPTION ² RB
				See last page for finish order codes

SOURCE

Dimmable 0-10V to 10%, Minimum 90CRI, 3-step MacAdam (2700K-6500K)

Source	CCT	Delivered Lumens*		Power (Watts)
TUN2	2700K-6500K	Ambient	2300	28
		Exam	6300	87
		Combined	8500	114

*At 3500K, delivered lumens can vary slightly as CCT changes

Note: Fixture provided with separate ambient and exam circuits

VOLTAGE¹ (Select one)

120V	120V, 50/60 Hz
277V	277V, 50/60 Hz

OPTION²

RB	Pre-ship recessed backbox
----	---------------------------

CM2062-T LENGA (cont.)

3" Dual Overbed Units – Behavioral Health – Tunable



LENGA PRODUCT FAMILY

- CM2060-W – 3" Dual Overbed Units
- CM2060-T – 3" Dual Overbed Units – Tunable
- CM2062-W – 3" Dual Overbed Units – Behavioral Health
- CM2062-T – 3" Dual Overbed Units – Tunable Behavioral Health

See [VisaLighting.com/products/Lenga](https://visalighting.com/products/Lenga) for more information

SUGGESTED VARIATIONS

- Custom colors

FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#).

For more information about our finishes visit visalighting.com/finishes

Powder Coat Paint Finishes (Standard)

AGGY Agate Grey	ALGN Alpine Green	BJBG Baja Beige	BMAT Bronze Matte	BRNZ Bronze	BSIL Blade Silver	CVBL Cove Blue
DEOR Deoro Gold	GLWT Glacier White	GSIL Graphite Silver	HRGR Harbor Grey	JTBK Jet Black	OCBL Ocean Blue	SHGR Shoreline Grey
SBGN Sagebrush Green	SLGR Slate Grey	SSTP Sierra Taupe	TRCN Terracotta Canyon	TRWT Traffic White	VLBK Velvet Black	VNRD Vineyard Red