

Job Name: _____	Client Name: _____
Job Location - City: _____ State: _____	Created By: _____ Date: _____
Product: _____ Quote: _____	Customer Approval: _____ Date: _____

FEATURES

- Aesthetically pleasing for lighting and traffic applications
- Clamshell design for quick, easy assembly
- Durable, high quality aluminum casting provides clean, crisp details
- Provided with stainless steel hardware
- Tamper proof hardware available as special order
- Long-lasting finish available in a variety of colors
- Install on existing poles to enhance streetscape
- Model numbers OC17AC and OC24AC are FHWA approved for use with select steel and aluminum poles in a breakaway system. Please contact Valmont for assistance with product selection.

POLE BASE DIAMETER RANGE		DIMENSIONS OF BASE COVER			MODEL NUMBER
TAPERED 0.14"/FT (IN)	NON-TAPERED (IN)	DIA (IN)	HEIGHT (IN)	QTY OF ACCESS DOORS	
0.00 - 8.00	0.00 - 7.75	17.00	32.25	1	OC17AC
0.00 - 11.25	0.00 - 10.63	23.75	54.00	1	OC24AC
10.00 - 13.50	9.38 - 12.88	29.82	67.50	1	OC01AC

All dimensions shown are nominal and do not include handhole projection.



PRODUCT ORDERING CODES

MODEL NUMBER	COLOR*	POLE BASE OD (IN)	BASE PLATE			ANCHOR BOLTS		HANDHOLE			
			BOLT CIRCLE DIA (IN)	SQUARE (IN)	THICKNESS (IN)	DIAMETER (IN)	PROJECTION (IN)	SIZE W x H (IN)	CENTER LINE HEIGHT (IN)	PROJECTION (IN)	
OC17AC OC24AC OC01AC	STEEL WH = White ST = Sandstone BK = Black SM = Silver Metallic SL = Silver LG = Light Gray SG = Slate Gray DT = Dark Tan MB = Medium Bronze CB = Bronze DB = Dark Bronze BN = Brown HG = Hunter Green DG = Dark Green RD = Red SC = Special Color (Contact Factory)	ALUMINUM DWH = White DSS = Sandstone BR = Burgundy HG = Hunter Green DNA = Natural Aluminum DCG = Charcoal Gray DMB = Medium Bronze SBN = Sanded Brown DNB = New Dark Bronze DDB = Dark Bronze SBK = Sanded Black DBL = Black DSB = Steel Blue DTG = Dark Green DBR = Red SC = Special Color (Contact Factory)	1. Model Number, Color and Pole Base OD required on all orders. 2. Additional information required when ordering separate from poles.								

* Choose steel or aluminum when used in conjunction with the appropriate pole material.

OSCEOLA AC1

Cast Aluminum - Clamshell



STRUCTURES

Job Name: _____	Client Name: _____
Job Location - City: _____ State: _____	Created By: _____ Date: _____
Product: _____ Quote: _____	Customer Approval: _____ Date: _____

BASE COVER CLOSE-UP



SPC7259 09/11 valmontstructures.com carries the most current spec information and supersedes these guidelines.