


Job Name: _____	Client Name: _____
Job Location - City: _____ State: _____	Created By: _____ Date: _____
Product: _____ Quote: _____	Customer Approval: _____ Date: _____

## SPECIFICATIONS



## LOAD AND DIMENSIONAL DATA

DESIGN INFORMATION						LOADING INFORMATION			
ARM DESIGN	MODEL NUMBER	ARM TYPE	SPAN (FT)	RISE (IN)	ARM EPA (SQ FT)	ARM WEIGHT (LBS)	MAX DESIGN WIND SPEED (MPH) w/ 1.3 GUST	MAX LUMINAIRE EPA (SQ FT)	MAX LUMINAIRE WEIGHT (LBS)
Single	51021	A04	4	18	2.12	13	100	3.00	75
		A06	6	21	2.55	15	100	3.00	75
		A08	8	24	2.97	22	100	3.00	75
Double -180°	51022	A04	4	18	2.83	19	100	3.00	75
		A06	6	21	3.70	24	100	3.00	75
		A08	8	24	4.54	37	100	3.00	75

**NOTE:**

- Two-piece construction consisting of a cast aluminum hub and aluminum pipe arm
- Choice of three arm-spans for optimal illumination to match a variety of roadway settings
- Cast aluminum hub accepts 3.00" OD X 3.00" tall pole top tenon

## PRODUCT ORDERING CODES

DESIGN SERIES	MODEL NUMBER	ARM TYPE	LUMINAIRE MOUNTING	LUMINAIRE ARM COLOR*		OPTIONS
PTA			E2			
	51021 51022	A04 A06 A08	E2 = 2.38" OD Slip Fit	<b>STEEL</b> WH = White ST = Sandstone BK = Black SM = Silver Metallic SL = Silver LG = Light Gray SG = Slate Gray DT = Dark Tan MB = Medium Bronze CB = Bronze DB = Dark Bronze BN = Brown HG = Hunter Green DG = Dark Green RD = Red SC = Special Color <small>(Contact Factory)</small>	<b>ALUMINUM</b> DWH = White DSS = Sandstone BR = Burgundy HG = Hunter Green DNA = Natural Aluminum DCG = Charcoal Gray DMB = Medium Bronze SBN = Sanded Brown DNB = New Dark Bronze DDB = Dark Bronze SBK = Sanded Black DBL = Black DSB = Steel Blue DTG = Dark Green DBR = Red SC = Special Color <small>(Contact Factory)</small>	See Accessories at <a href="http://valmontstructures.com">valmontstructures.com</a> (Please Specify)
						* Choose steel or aluminum when used in conjunction with the appropriate pole material.

SPC7522 03/11 valmontstructures.com carries the most current spec information and supersedes these guidelines.