

# Essentia® Series Track

One and Two-Circuit Track - 4', 6', & 8'

Rev. Date: V7 02/13/2023

## Product Description

Essentia® Series Track Rails are ideal for general purpose track lighting in indoor commercial, retail, or industrial applications. Features include an extruded aluminum body, Lexan fittings, a Noryl insert and No. 12 AWG solid copper conductors. Fixtures can be surface or pendant mounted and each track section includes two dead ends and mounting hardware. The track is also easy to cut to the exact size needed right at the job site. Two-circuit track offers double the load capacity which allows for more fixtures per section and the ability to operate each circuit separately, giving you a total of 3 different schemes. The Essentia® Series Track Rails come with a performance 1-year limited warranty.

**Applications:** General purpose track lighting for indoor commercial, retail or industrial applications

## Performance Summary

Features extruded aluminum body

**Input Voltage:** 120V, 60Hz

Fixtures can be surface or pendant mounted

**Limited Warranty\*:** 1 year

UL and cUL Listed

\*See <http://creelighting.com/warranty> for warranty terms

## Product Specifications



### CONSTRUCTION & MATERIALS

- Features an extruded aluminum body
- Features a Lexan® fittings, a Noryl® insert and No. 12 AWG solid copper conductors
- Listed to use with existing Juno® T & TU systems (not affiliated with Cree)
- Fixtures can be surface or pendant mounted
- Each track section includes two dead ends and mounting hardware
- Easy to cut to the exact size needed right at the job site
- Two-circuit track offers the ability of each circuit to be switched separately with the ability to create three different schemes on one section of track: first circuit on only, second circuit on only, or both circuits on together

**NOTE:** With two-circuit track 40 Amps consists of two 20 Amp feeds on different phases sharing a common neutral feed line. If both circuits are on the same phase, the total load between two circuits is limited to 20 Amps

### REGULATORY & VOLUNTARY QUALIFICATIONS

- UL and cUL Listed
- **CA RESIDENTS WARNING:** Cancer and Reproductive Harm – [www.p65warnings.ca.gov](http://www.p65warnings.ca.gov)



## Ordering Information

Example: S-CT-T4-1C-BK

Series	Track Length	Circuit	Housing Color
S-CT Essentia Series Track	T4 4 Feet (44-7/16") T6 6 Feet (68-7/16") T8 8 Feet (92-7/16")	1C 1-Circuit - Not available with T6 with white finish 2C 2-Circuit	BK Black WH White



© 2023 Cree Lighting, A company of IDEAL INDUSTRIES. All rights reserved. For informational purposes only. Content is subject to change. Patent [www.creelighting.com/patents](http://www.creelighting.com/patents). Cree® and the Cree Lighting logo are registered trademarks of Cree, Inc. Essentia® is a registered trademark of Cree Lighting, A company of IDEAL INDUSTRIES. The UL logo is a registered trademark of UL LLC.

US: [creelighting.com](http://creelighting.com) (800) 236-6800

Canada: [creelighting-canada.com](http://creelighting-canada.com) (800) 473-1234

**CREE** ⇨ **LIGHTING**®

A COMPANY OF IDEAL INDUSTRIES, INC.