MEDMASTER™

Exam Luminaires for Patient Rooms

MEC SERIES

PRODUCT FEATURES:

- » Ceiling mount 8"×48", 8"×60", 12"×48"
- » Exam light with asymmetric optics for shadowfree illumination
- » Ingress Barrier Door provides consistent surface for cleanability



PROJECT INFORMATION					
Job Name					
Fixture Type					
Catalog Number					
Approved by					

SPECIFICATIONS:

HOUSING: FLANGE AND GRID: 20-gauge CRS one-piece seam welded construction. SURFACE: 18-gauge CRS one-piece seam welded construction. Housing flange (Flange/Grid): 18-gauge CRS, one-piece seam welded construction. standard 4-piece construction, spot welded to housing. White TGIC polyester powder coat — 5-stage pre-treatment. Salt spray test: 1,000 hours; reflectance: 92%.

DOORFRAME: Heavy duty extruded aluminum with clear satin anodized finish. Doorframe supported to housing with aircraft cables (IB-AC) to provide NSF2 listing, or an optional continuous hinged doorframe (IB-HD). Select in ordering options below. Phillips head stainless steel fasteners secure door to housing – 8 on IB-AC option; 3 on IB-HD option.

GASKET: Closed cell silicone gasket seals door to housing.

LAMP SHIELDING: Perforated steel (white TGIC polyester powder coat finish) with pearlescent diffuser.

FASTENERS: Torx® head with center pin hardened security screws. Fully recessed.

ELECTRICAL: Fluorescent electronic 120-277V ballasts high power factor (<10% THD). See Ordering Information for optional equipment. Lamps by others.

INSTALLATION: SURFACE MOUNT: Four .312" diameter holes. GRID MOUNT: Designed for 1" grid. Includes hardware to secure hanger wire. FLANGE MOUNT: - Yoke brackets: Fixture mounting hardware included. Install Frame (Accessory): Positively locates yoke brackets within ceiling opening; assures alignment of fixture. No measuring for yoke required; no drywall backing required (included with frame assembly).

WARRANTY: Limited one (1) year Kenall flourescent warranty.

LISTINGS: UL and CUL Listed for Wet Location and UL certified IP65 per IEC 60598. NSF2 Splash/Non-Food Zone (IB-AC only).



Model

60

G

MEC8 8

MFC12 12'

ORDERING INFORMATION (Ex: MEC12-48-5-2-32-15-120-1B-AC)								
Model	Length	Mounting Options	Lamp Qty	Lamp Type				

Lam	Quantity	Balla	st Type
1	One Lamp	IS	Instant Start Electronic, 10% THD (T8)
2	Two Lamps	RS	Rapid Start Electronic, 10% THD (T8,T5, T5H0)

Ballast Type

Nominal Length **Lamp Type** Voltage 4' Lengths 120 120 Volts 5' (MEC8 only) **28**† F28T5 277 277 Volts F32T8 (MEC12 only) 32 347 347 Volts **Mounting Options** F54T5H0 54

Surface Grid (1") 5' Lengths (MEC8 only) Flange 80 F80T5H0

Doorframe AC

Voltage

Doorframe

IB-

Ingress Barrier w/Aircraft Cables (Std.) Ingress Barrier w/Continuous Piano Hinge (not NSF2 listed)

Options AMF Antimicrobial Finish on exposed surfaces FS Fuse & Holder

RF† Radio Frequency Filter LVC† Low Voltage Controller

(See Application Guide or consult factory for switching options)


Accessory

Options


Install Frame (Flange only)

†n/a with 347V

DIMENSIONAL DATA



RECOMMENDED CEILING CUTOUT/ SURFACE MOUNTING HOLES



DIMENSIONAL DATA (IN INCHES)									
	Α	В	С	D	<u> </u>				
MEC848 (T5)	3.25	8.00×47.00	8.75×47.75	8.25**	47.25				
MEC860 (T5)	3.25	8.00×59.00	8.75×59.75	8.25**	59.25				
MEC12 (T5)	4.25	11.00×47.00	11.75×47.75	11.25**	47.25				
MEC12 (T8)	4.25	11.00×48.75	11.75×49.50	11.25**	49.00				
**Add 25" to each cut-out dimension when Install Frame (IF) Accessory is specified									

