

# **IVY RECESSED PROFILE**

# Recessed Profile for IVY Lighting System





#### 

Professional recessed ceiling/wall mounted low voltage modular light system allowing for maximum application flexibility. Designed in collaboration with Stefano Boeri Interiors as product design consultant.

### O MECHANICAL CHARACTERISTICS

Dimensions	3.37"W x 3.39"H
Materials	Extruded aluminum profile with flange protected with a layer of black anodization, minimum thickness of 15μ.
Finish	Deep Black
Functionality	Different mounting configurations are achievable using joint connectors that make it possible to build a simple or complex systems. To be completed with IVY series lighting modules.
Mounting	Recessed flanged profile for use in indoor/outdoor installations. Profile system configurations are achieved through joint connectors.
Weight	19.69" L: 2.05 lbs / 39.37" L: 4.10 lbs / 78.74" L: 8.20 lbs
	-

#### **WARRANTY**

5 year limited warranty.

# **IVY RECESSED PROFILE**

### SPECIFICATION INFORMATION

3	4	_	
2 - END CAP		3 - JOINT CONNECTOR	4 - DECORATIVE COVER
REQUIRED		OPTIONAL	OPTIONAL
	2 - END CAP	2 - END CAP	2 - END CAP 3 - JOINT CONNECTOR

Deep Black Finish

# 1 - PROFILE (REQUIRED)

3.37"	19.69"	3.37"	39.37"
3.39"		3.39"	
IVY recessed alumir	num profile with flange.	IVY recessed alumi	inum profile with flange.
Finish		Finish	
Part No. <b>1E4159</b>		Part No. <b>1E4160</b>	

3.37"	78.74"
3.39"	
IVY recessed alumi	num profile with flange.

### 2 - END CAP (REQUIRED)



Finish


Part No. 1E4161

IVY reces	sed profile end cap kit, 2pcs.	
Finish	•	
Part No.	1E4258	

# IVY RECESSED PROFILE

# **3 - JOINT CONNECTOR (OPTIONAL)**






0		1.66 K 1.67 K 1.67 K 1.66 K

IVY recessed profile L-concave joint connector.

Finish

Part No. 1E4260



IVY recessed profile L-convex joint connector.

IVY recessed profile L-joint connector.


1E4259

Finish

Part No.

Finish	•
Part No.	1E4261

# 4 - DECORATIVE COVER (OPTIONAL)



Deep Black Finish