RAIL 6 S6

LED . **RECESSED DRYWALL FLANGELESS** . **DIRECT**


















| PART #: | |
|------------------------|------------------|
| PREP BY: | DATE: |
| PROJECT: | QT |
| NOTES: | |
| APPROVAL SIGNATURE: | DATE (DD/MM/YYYY |

| PERFORMANCE SUMMARY @ 3500K | | Meta Blanc (MB) | Meta Ice (M) | Drop Lens (MD) | |
|--------------------------------|------------------|--------------------|-----------------|-------------------|--|
| | | L3 | L3 | L3 | |
| Lumana nar faat | 80 CRI | 609 | 713 | 642 | |
| Lumens per foot | 90 CRI | 533 | 624 | 562 | |
| Wattage per foot | Wattage per foot | | 6.1 | 6.1 | |
| Efficacy | 80 CRI | 101 | 118 | 106 | |
| Efficacy | 90 CRI | 87 | 102 | 92 | |
| L70 Estimate (h) | | ≥ 60,000 hrs | | | |

See page 2 for the complete Light Level Performance chart.

FEATURES

- Efficacy up to 111 LPW
- Suitable for dry or damp locations
- Integral drivers
- Option for daylight harvesting, occupancy sensing, dimming control and emergency lighting

| ORDE | RING LOG | IC | | 1 | | | | | Example | Part Number | :: S6-1L35K-1 | 2-MB-W-L31 | -DF-1-DW-90 |
|----------------------|---|---------------|---|--|-------------|---|---|--|--|---|-------------------------------|-----------------------------|-------------|
| S6 | | | | | | | | | DF | | | | |
| 1 | 2 3 | 3 | 4 | 5 | | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| 1. SERIES S6 | 2. COLOR TEMP 1L30K 3000K 1L35K 3500K 1L40K 4000K | | 3. LENG 2 2 3 3 4 4 5 5 | ft ft ft | | G <u>A</u> x <u>B</u> U <u>A</u> x <u>B</u> x <u>C</u> | Square Rectangle U-Shape L-Shape | with len | "A", "B", "C" gth in feet. iinimum ns below | | a Blanc a Ice p Lens ** | W Whi | |
| | 90 CRI is available | under | 6 6 7 7 8 8 | ft ft ft | | C | Custom Pa None (leav | space empty | | | | | ify RAL: |
| | OPTIONS | | 11 11 12 12 RA Co Re se C Co |) ft I ft | h in feet | B = 4 Custom F Lengths and a dr | awing of custor | U-Shape A=3ftmin. B=4ftmin. C=3ftmin. | L-Shape A=3ft min. B=3ft min. | Opal diffus | ligh output | : | |
| 7 LIGHT I | EVEL / DRIVER | 8. CIRCU | ITRY | | 9 MOI | pattern are req T-Shape | uired on page 3 Cross/X 10. VOL | Outside 9 | 2 | S 12 CO | NTROLS | 13. OPTIONS | |
| L1 L2 L3 L4 | elect Driver below. See Light Level Performance chart on p2. ter desired lm/ft: | 1 10 EM Em | ircuit ergency | / Night Light Battery Pack ² | DF R | ecessed Drywa langeless | 1 12 2 27 3 34 4 UN |) V 7 V 7 V | Please s | ee last page for rated SENSOR DLS Order Log | r fixture S and | 90 90 CRI, _ None | |

^{*}Consult factory. | **Drop lens is not available with patterns. | 1 Pattern record drawings showing mounting locations will be sent out upon order. | 2 Battery operates 4ft sections only.

Select Driver:

| | Factory | option | 0-10V. | 1% | Dimming |
|--|---------|--------|--------|----|---------|
| | | | | | |

- ☐ **LHE** Lutron H-Series Hi-lume 1% EcoSystem LED Driver
- LA2 Lutron A-Series Hi-lume 1% 2-wire LED Driver
- L5E Lutron 5-Series EcoSystem LED Driver



Light Level Performance

3500K, 80 CRI, 0-10V Dimming

| Optics | Meta Blanc (MB) | | | Meta Blanc (MB) Meta Ice (M) | | | Dre | op Lens (N | ID) |
|-------------|--------------------|---------------------|-------------------|------------------------------|---------------------|-------------------|--------------------|---------------------|-------------------|
| Light Level | Lumens per foot | Wattage per foot | Efficacy (LPW) | Lumens per foot | Wattage per foot | Efficacy (LPW) | Lumens per foot | Wattage per foot | Efficacy (LPW) |
| L1 | 370 | 3.5 | 107 | 433 | 3.5 | 125 | 377 | 3.5 | 108 |
| L2 | 456 | 4.4 | 104 | 533 | 4.4 | 121 | 472 | 4.4 | 107 |
| L3 | 609 | 6.1 | 101 | 713 | 6.1 | 118 | 642 | 6.0 | 106 |
| L4 | 1121 | 12.5 | 90 | 1312 | 12.5 | 105 | 1191 | 12.5 | 95.4 |

Lumen Adjustment Factor

| Color Temp | 80 CRI | 90 CRI |
|------------|--------|--------|
| 3000K | 0.984 | 0.880 |
| 3500K | 1.000 | 0.875 |
| 4000K | 1.032 | 0.879 |

Metalumen's light level performance metrics are subject to manufacturers component tolerances.

CONTINUOUS ROWS

Step 1) Indicate desired quantity of rows under the QTY column

Step 2) If applicable, select pod(s) per row to indicate desired Emergency Lighting/Night Light/Battery Location. If a similar row requires a different Emergency lighting location, please fill out another sheet.

Record drawings for rows not represented here will be sent out upon order. **LEGEND** Standard (STD) Wire Entry Location Run Length Overall Alone / Start Length Nominal Length (located 52mm from end on top of fixture) Mid Length(s) **End Length** Emergency (EM) / Night Light Location (4 ft sections) EM or Battery Wire Entry Location **ROWS IN PLAN VIEW** (located 52mm from end on top of fixture) QTY Rows are for demonstration purposes only and are not to scale. EM / Night Light and EM or Battery Wire Entry location in 1223 relation to pod selections: [48.1] Example 20 ft run 2442 8' 8 [96.1] 3662 [144.2] 12' 12 4880 [192.1] 16' 8 6100 [240.2] 20' 12 8 7320 24' 12 12 [288.2] -140 [5.5] Max Recommended Drywall Opening 12 8 [336.1] 9758 32' 12 12 [384.2] 36' 12 12 12 [432.2] 12196 [480.2] 40' 12 8,8 13416 44' 12 12, 8 12 [528.2] 14636 12 12, 12 12 [576.2]

PATTERNS


| Select Pattern: | T-SHAPE (C) | CROSS / X-SHAPE (C) |
|-------------------------------------|----------------------|-------------------------|
| Pattern Configuration | —B— A 1 | Б— Д Д — — |
| Indicate Desired Lengths (ft) | A = B = | A = B = |
| Minimum Lengths | A = 3 ft B = 6 ft | A = 6 ft B = 6 ft |

A custom pattern configuration drawing is required in the grid below


Approval drawings will be sent out upon order showing mounting locations.



WIRING



CROSS SECTIONS



Meta Blanc or Meta Ice

SPECIFICATIONS

Due to the Continuous Improvement Policy at Metalumen, we reserve the right to change our specifications without notice.

Housing: Rigid extruded aluminum body, 2.0mm (0.08") nominal wall thickness. Aluminum end caps.

Optical System: Metalumen luminaires are designed to utilize leading edge LED technology combined with luminaire optimized reflectors and our custom diffusers, resulting in industry leading optical performance.

CRI: 83+ for 3500K, 80 minimum for all

CCTs in standard configurations. **Lumen Maintenance:** Minimum
50,000h with TM-21 lumen

maintenance of 85% @ 25°C ambient temperature (calculated based on IESNA LM-80-08 LED test data). L70: ≥60,000hrs.

Finish: Satin aluminum and white are standard finishes. For custom finish, contact factory.

Weight: 1.7 kg/300 mm [3.8 lb/ft]

Mounting: Mounting rods provided by others.

Electrical: Factory prewired with easy wire quick connect sections.

Drivers: Metalumen offers 0-10V dimming* as a standard on our entire LED product offering. Dimming range is 1%-100%. Power factor is > 90%. Class 2 rating. Drivers are integral.

Approvals: All components are UL/

CSA/QPS recognized or listed. RoHS compliant. This product is cULus listed. **Environment:** Suitable for dry or damp locations.

*Standard drivers compatible with passive/ sinking dimmers. Please contact Metalumen if active/sourcing dimmer support is required.

WARRANTY

Metalumen will warrant defective luminaires for 5 years from date of purchase. Warranty is valid if luminaire is installed and used according to specification. If defective, Metalumen will send replacement boards or drivers at no cost along with detailed replacement instructions and instructions on how to return defective components to Metalumen.

Drop Lens



PHOTOMETRIC DATA - 3500K, 80 CRI

Optics: Meta Blanc IES File: S6-1L35K-4-MB-L3 Lumens: 609/ft Wattage: 6.1/ft

Efficacy: 101 LPW

ZONAL LUMEN SUMMARY

| Zone | Lumens | %Fixt |
|--------|--------|-------|
| 0-90 | 2435 | 100 |
| 90-180 | 0 | 0 |
| 0-180 | 2435 | 100 |

LUMINANCE DATA (CD/M2)

| Vertical | Horiz | zontal A | ngle |
|----------|-------|----------|------|
| Angle | 0 | 45 | 90 |
| 45 | 4443 | 2684 | 2224 |
| 55 | 3665 | 1899 | 1520 |
| 65 | 2843 | 1223 | 937 |
| 75 | 1889 | 623 | 454 |
| 85 | 733 | 153 | 113 |



Optics: Meta Ice

IES File: **S6-1L35K-4-M-L3**

Lumens: 713/ft Wattage: 6.1/ft


Efficacy: 118 LPW

ZONAL LUMEN SUMMARY

| Zone | Lumens | %Fixt |
|----------------|--------|----------|
| 0-90 90-180 | 2855 | 100 0 |
| 0-180 | 2855 | 100 |

LUMINANCE DATA (CD/M2)

| Vertical | Horiz | zontal A | ngle |
|----------|-------|----------|------|
| Angle | 0 | 45 | 90 |
| 45 | 5198 | 3134 | 2581 |
| 55 | 4347 | 2212 | 1751 |
| 65 | 3365 | 1427 | 1090 |
| 75 | 2172 | 730 | 518 |
| 85 | 839 | 175 | 137 |



Optics: Drop Lens

IES File: S6-1L35K-4-MD-L3

Lumens: 642/ft Wattage: 6.0/ft

Efficacy: 106 LPW

ZONAL LUMEN SUMMARY


| Zone | Lumens | %Fixt |
|--------|--------|-------|
| 0-90 | 2440 | 94.9 |
| 90-180 | 131 | 5.1 |
| 0-180 | 2571 | 100 |

LUMINANCE DATA (CD/M2)

| Vertical | Horizontal Angle | | | | |
|----------|------------------|------|------|--|--|
| Angle | 0 | 45 | 90 | | |
| 45 | 5198 | 3134 | 2581 | | |
| 55 | 4347 | 2212 | 1751 | | |
| 65 | 3365 | 1427 | 1090 | | |
| 75 | 2172 | 730 | 518 | | |
| 85 | 839 | 175 | 137 | | |

PHOTOMETRIC CURVE

5% Up 95% Down



Photometric performance is measured and scaled in accordance with IESNA LM-79.

SENSORS AND CONTROLS



Metalumen offers intelligent standalone and/or connected luminaires with various integrated sensing and control system* connectivity options. The table below outlines some of the more common combinations and solutions offered. If you do not see the controls solution or the type of sensing technology you require for your project please contact us and we will work with you to try and identify a solution to meet your needs.

Examples:

WattStopper Daylight Sensor Standalone Luminaire: S6-1L35K-12-MB-W-L31-DF-1-DW-90 Occupancy Sensor with Casambi Wireless Bluetooth Mesh Control Capability: S6-1L35K-12-MB-W-L31-DF-1-O-CAB-90

| ORDER LOGIC FIELDS | | SENSOR FEATURE / BEHAVIOR | | LUMINAIRE CONTROL / | | | |
|--------------------|---|---------------------------|--------------------|------------------------|----------------------------------|--|--|
| 11. SENSORS | | 12. CONTROLS | OCCUPANCY (PIR) | DAYLIGHT HARVESTING | CONNECTIVITY | DESCRIPTION | |
| OF | - | | | None | Standalone | Factory Sensor - Occupancy Behaviors configured via BLE App | |
| ow | - | | 7. | None | Standalone (WattStopper) | Wattstopper Standalone Occupancy Sensor | |
| DW | - | | None | | Standalone (WattStopper) | Wattstopper Standalone Daylight Harvesting Sensor | |
| ODW | - | | | Č. | Standalone (WattStopper) | Wattstopper Standalone Occupancy and Daylight Harvesting Sensors | |
| 0 | - | САВ | | None | Casambi Bluetooth Mesh | Casambi Bluetooth Mesh Connectivity with Occupancy Sensing | |
| OD | - | САВ | | | Casambi Bluetooth Mesh | Casambi Bluetooth Mesh Connectivity with Daylight Harvesting and Occupancy Sensing | |
| | - | САВ | None | None | Casambi Bluetooth Mesh | Casambi Bluetooth Mesh Connectivity (no sensors) | |
| 0 | - | SLVR | | None | Silvair Bluetooth Mesh | Open Standard Bluetooth Mesh Connectivity with Occupancy Sensing | |
| OD | - | SLVR | | | Silvair Bluetooth Mesh | Open Standard Bluetooth Mesh Connectivity with Daylight Harvesting and Occupancy Sensing | |
| | - | SLVR | None | None | Silvair Bluetooth Mesh | Open Standard Bluetooth Mesh Connectivity (no sensors) | |
| | - | OSRM | None | None | Osram Encelium | Osram Encelium connectivity | |
| OD | - | OSRM | | | Osram Encelium | Osram SensiLum Connectivity for Enclelium with Occupancy and Daylight Harvesting | |
| OD | - | ENL | M. | | Enlighted ONE | Occupancy and Daylight Harvesting Capable Supports EnlightedONE room control as well and upgrade path for Enlighted Connected and Enlighted IoT offering advanced applications, analytics and insights for Space Utilization/Optimization, Asset Tracking, Energy Monitoring, HVAC Integration etc | |
| | - | DALI | None | None | DALI addressable wired Luminaire | Generic DALI addressable luminaire | |
| | - | ECOS | None | None | Lutron Ecosystem | Lutron Ecosystem addressable wired luminaire NOTE: See Driver Selection options for specific driver | |



















^{*}Control system, installation and commissioning provided by others.