

PIPE-D

EXTERIOR

PVC Pipe | For landscaping

- Wet, Damp, and Dry location



Ordering Information

Clear Form

Date : _____

Quantity : _____

Project : _____

Note : _____

Type : _____

Specifications

PVC Pipe | Example Code: PIPE-D

Product ¹

PIPE-D

System Components (Ordered Separately)

Back Box : _____

* Please refer to Appendix for more information.

EBX-OCT1-DPIPE MP Lighting back box with PPIE-D attached.

Important Notes

Specification

1. PIPE-D is compatible with PIPE-C, set length of 11-13/16" (300mm) or other PVC pipes. See pg.2 for dimensions..

Application

Environment	Wet / Damp / Dry Location approved.
Mounting	Designed to be mounted to electrical and/or landscape pipes. Compatible with Standard 1-1/2" PVC pipes (Outer Diameter: Ø1-7/8"): Schedule 40, Schedule 80, and Furniture Grade PVC Pipes.
Compatible Fixtures	In-grade: L05, L315, L360, L366, L352, L368 & L358 See pg.3 for product images of compatible fixtures. See pg.4-5 for application images of compatible fixtures.


Product Construction

Weight	0.5 lbs (0.23 kg)
Material	Black ABS, UV stabilized


Mounting Options & Dimensions

Pipe Dimensions

Diameters



Front View



3D view




3D view
 Shown with L05 & PIPE-C




Installation (shown with L05 and PIPE-D)


PIPE-D




L05



PIPE-D & PIPE-C




L05 with PIPE-D & PIPE-C



* Pipe-01-BK can be substituted with other electrical/landscape PVC pipes.

Compatible Fixtures

In-grade



Regular Beam



L05 ●



L352 ●



L366 ●



L360 ●



Half-Shielded



L368 ●



Single Aperture



L358-S ●



Double Aperture



L358-D ●



Pinhole Beam



L356 ●

In-grade Installation

L05 | Landscape | During Installation



L05 | Landscape | Complete Installation



* Images will appear darker when printed.

Appendix

PIPE-D Compatibilities

PIPE-D



PIPE-D shown with PIPE-C



PIPE-D shown with Schedule 40 PVC pipe



PIPE-D shown with L05 & PIPE-C

