MP LIGHTING

X01CS

INTERIOR
Spotlight | For ceilings, walls & counters

● Dry location

c CSA us   CE

Ordering Information   Clear Form

Date :

Project :

Type :

Quantity :

Note :

Specifications

Luminaire | Example Code: X01-CS-0-MC

Product	Mounting	Stem Length	Finish [1]
X01	**CS**	**0**	
	CS cable system	**0** no stem	**Aluminum Finishes:** **MC** matte chrome **BN** brushed nickel

System Components (Ordered Separately)

Remote Driver :   * Consult MP Lighting Website or Factory.

Important Notes

Specification

1. *Refer to Appendix or MP Lighting website for complete look of luminaire with different finish options.*

Warranty Notes & Disclaimer

Malfunction and damage to product due to incompatible dimming system or misuse will not be covered under warranty. Consult MP Lighting for recommended drivers. If the fixture has an option to be installed with a dimming control system, consult a dimming system manufacturer with minimum load before installing. MP Lighting reserves the right, at its sole discretion, at any time and without notice, to make design changes to any of our products. Consult MP Lighting website for most updated documentation.

X01CS

INTERIOR
Spotlight | For ceilings, walls & counters

● Dry location

Application

Environment	Dry Location approved. IP 20.
Mounting	**CS:** Rotatable and easy to position. Designed for use on MP cable system (CS) (sold separately).

Luminaire Construction

|	
LED Light Source	Lamp supplied by others. **Recommended:** MR16, 50 W max or LED MR16 (SORAA lamp) 10W max.
Weight	N/A
Material	**Fixture:** Machined aluminum with electroplated finish.
Supplied with	**Standard installation housing:** Comes with an adapter plate, two #8-32 screws, and wire nuts.
Warranty & LED Life	5 years limited warranty. Estimated useful life of LED is 50,000 hours.

Ordered Separately

System Components	Lamp.

Mounting Options & Dimensions

LED Fixture Dimensions

Fixture

7-1/4"
184mm
6-1/4"
159mm
3-5/8"
92mm
2-3/8"
60mm
4-1/8"
105mm max.

Bottom View (with lamp supplied by others)

Ø3-1/2"
Ø88.9mm

3D View

Beam (with lamp supplied by others)

CS

Cable System

Fixture with Cable System

Dimensions

7-1/4"
184mm
6-1/4"
159mm
3-5/8"
92mm
2-3/8"
60mm
4-1/8"
105mm max.

Appendix

Aluminum Finishes

MC matte chrome