Specification sheet 1/3

# AJ GARDEN BOLLARD

Project type:

Notes:

## Design

Arne Jacobsen

## Variant options

Dimension	Mounting	Lumen
LONG	Anchor w/o power supply	454
SHORT	Base w/o power supply	524
	Spike w/o power supply	

Specification sheet 2/3
AJ Garden Bollard

### Weight

Min: 0 lbs Max: 0 lbs

#### **Dimensions**

LONG, SHORT

### Information

The adapter is positioned externally from the fixture and can run up to 6 bollards. Maximum distance to last bollard is 30m.

Spike: Plug and play. Let the enclosed cables run over the ground. Uses standard cables and connectors which are supplied.

Anchor/Base: Requires certified electrician. Use installation tube for inground installation, with enclosed cables running inside, for legal fixed installation.

LED replacement kit available. Replacement of the built-in LED requires a certified electrician.

#### **Finish**

Black texture

## Variant options

Dimension	Mounting	Lumen	Variant number
SHORT	Spike w/o power supply	524	10000163686
SHORT	Spike w/o power supply	524	10000163687
LONG	Spike w/o power supply	454	10000163689
LONG	Spike w/o power supply	454	10000163690
LONG	Base w/o power supply	454	10000163722
LONG	Base w/o power supply	454	10000163723
LONG	Anchor w/o power supply	524	10000163725
LONG	Anchor w/o power supply	524	10000163726
SHORT	Base w/o power supply	524	10000163728
SHORT	Base w/o power supply	524	10000163729
SHORT	Anchor w/o power supply	454	10000163731
SHORT	Anchor w/o power supply	454	10000163732