

## AJ ROYAL

Designed by Arne Jacobsen

---



---

### Description

The pendant comes in three sizes and is characterized by the ridges on top that allow a gentle light to exude upwards. In the new, energy-saving LED version, all three sizes come with a diffuser, which offers a smoother, 100% glare-free lighting.

---

### Variants

VARIANT NUMBER	COLOR, RAL	W / H / L (IN) / W (LB)
10000151333	BLACK	14.6 / 6.5 / 14.6 IN / 4.5 LB
10000151334	WHITE	14.6 / 6.5 / 14.6 IN / 4.5 LB
10000151337	BLACK	14.6 / 6.5 / 14.6 IN / 4.5 LB
10000151340	WHITE	14.6 / 6.5 / 14.6 IN / 4.5 LB
10000151341	BLACK	19.7 / 8.8 / 19.7 IN / 13.1 LB
10000151342	WHITE	19.7 / 8.8 / 19.7 IN / 13.1 LB
10000151345	WHITE	19.7 / 8.8 / 19.7 IN / 13.1 LB
10000151347	BLACK	19.7 / 8.8 / 19.7 IN / 13.1 LB

---

### Materials & Finishes

#### MATERIALS

Shades: Spun aluminum. Rings: Steel. Diffuser: Frosted acrylic.

#### FINISHES

# louis poulsen

White or black, wet painted.

## Mounting


Cord type: 18 AWG braided fabric covered power cord. Cord length: 12'. Black canopy and cord for black pendant, white canopy and cord for white pendant. For mounting instructions, see download section on the product detail page.

## Information


Electrical:  
 System Wattage: 8W or 30W  
 LED Wattage: 7 W or 28 W  
 Delivered lumens: 508 - 2,309  
 Efficacy: 63.5 lm/W - 77.0 lm/W  
 Certifications:  
 cULus, Damp Location  
 Protection class IP20  
 Controllability: 0-10V Dimming  
 Color Rendering: Ra≥90 For the E-socket product variants, bulbs are not included. LED light source is part of the product.

## Light distribution diagrams


### CARTESIAN



### ISOLUX



### POLAR



## Variant Options

For particular variant options, please check our online Product Variants Configurator on the product detail page.

VARIANT NO.	LIGHT SOURCE	VOLTAGE/FRQ	LUMEN	FEATURES	CABLE
10000151333	LED 3000K 16W	120-277V/60HZ	951	Phase+dim 0-10v	Black fabric cord and wire
10000151334	LED 3000K 16W	120-277V/60HZ	1125	Phase+dim 0-10v	White fabric cord and wire

# louis poulsen

10000151337	LED 2700K 16W	120-277V/60HZ	930	Phase+dim 0-10v	Black fabric cord and wire
10000151340	LED 2700K 16W	120-277V/60HZ	1100	Phase+dim 0-10v	White fabric cord and wire
10000151341	LED 3000K 30W	120-277V/60HZ	1955	Phase+dim 0-10v	Black fabric cord and wire
10000151342	LED 3000K 30W	120-277V/60HZ	2242	Phase+dim 0-10v	White fabric cord and wire
10000151345	LED 2700K 30W	120-277V/60HZ	2309	Phase+dim 0-10v	Black fabric cord and wire
10000151347	LED 2700K 30W	120-277V/60HZ	1898	Phase+dim 0-10v	White fabric cord and wire

---

## Specification Notes

- a. 14.6 IN size available only in 16W.
- b. 19.7 IN size available only in 30W.