


# POLE TAPER ROUND

Project name:


Project type:

Notes:



## Product description

Aluminum pole with a 5 inch bottom diameter, tapered to 2.4 inch top diameter. Supports Albertslund Post tops, Homann Park, LP Capsule, LP Park, LP Nyx-330, and LP Xperi. Handhole located 18 inches above base with removable, finished cover secured with 2 stainless steel Philips drive screws.



## Variant options

Dimension	Color	Voltage frequency	Lighting control
10 FT	<div><div></div>Black</div>	120-277V/60HZ	-
12 FT	<div><div></div>Br alu</div>		Gfi at 28 in
14 FT	<div><div></div>Corten color</div>		Gfi at 30" us
16 FT	<div><div></div>Graphite grey</div>		
18'	<div><div></div>Natural paint aluminum</div>		
20'	<div><div></div>Silver grey</div>		

## Material

Pole: extruded aluminum, 0.188" wall thickness, heat treated to T6. Base plate: die cast aluminum. Base cover: pressure cast aluminum. Anchor bolts: Hot-dipped galvanized steel. Standard finish are matte, textured surface powder coat with minimum 2 mils thickness. Base cover pre-treated with zinc primer for improved resistance to corrosion.

## Weight

Min: 0 lbs Max: 0 lbs

## Other functions

Available with GFCI 120V outlet with aluminum cover in matching powder coat finish. Alternative heights and wall thicknesses. Mounting adapters for other LP Post tops. Hardware with tamper-resistant drive.

## Voltage

120-277V/60HZ

## Mounting

Mounted to a concrete base with 4 anchor bolts of 3/4" diameter x 24" length, on a bolt circle of 8.6" diameter. Anchor bolts to be embedded into a concrete foundation by others.






































## Dimensions

10 FT, 12 FT, 14 FT, 16 FT, 18', 20'






























## Finish

Black, Br alu, Corten color, Graphite grey, Natural paint aluminum, Silver grey

## Variant options

Dimension	Color	Voltage frequency	Lighting control	Variant number
10 FT	 Br alu	120-277V/60HZ	-	10000138450
10 FT	 Br alu	120-277V/60HZ	Gfi at 28 in	10000138451
12 FT	 Br alu	120-277V/60HZ	-	10000138454
12 FT	 Br alu	120-277V/60HZ	Gfi at 28 in	10000138455
14 FT	 Br alu	120-277V/60HZ	-	10000138458
14 FT	 Br alu	120-277V/60HZ	Gfi at 28 in	10000138459
10 FT	 Black	120-277V/60HZ	-	10000138464
10 FT	 Corten color	120-277V/60HZ	-	10000138465
10 FT	 Graphite grey	120-277V/60HZ	-	10000138466
10 FT	 Silver grey	120-277V/60HZ	-	10000138467
12 FT	 Black	120-277V/60HZ	-	10000138472
12 FT	 Corten color	120-277V/60HZ	-	10000138473
12 FT	 Graphite grey	120-277V/60HZ	-	10000138474
12 FT	 Silver grey	120-277V/60HZ	-	10000138475
14 FT	 Black	120-277V/60HZ	-	10000138480
14 FT	 Corten color	120-277V/60HZ	-	10000138481
14 FT	 Graphite grey	120-277V/60HZ	-	10000138482
14 FT	 Silver grey	120-277V/60HZ	-	10000138483
10 FT	 Black	120-277V/60HZ	Gfi at 28 in	10000138504
10 FT	 Corten color	120-277V/60HZ	Gfi at 28 in	10000138506
10 FT	 Graphite grey	120-277V/60HZ	Gfi at 28 in	10000138508
10 FT	 Silver grey	120-277V/60HZ	Gfi at 28 in	10000138510
12 FT	 Black	120-277V/60HZ	Gfi at 28 in	10000138512
12 FT	 Corten color	120-277V/60HZ	Gfi at 28 in	10000138514
12 FT	 Graphite grey	120-277V/60HZ	Gfi at 28 in	10000138516
12 FT	 Silver grey	120-277V/60HZ	Gfi at 28 in	10000138518
14 FT	 Black	120-277V/60HZ	Gfi at 28 in	10000138520
14 FT	 Corten color	120-277V/60HZ	Gfi at 28 in	10000138522
14 FT	 Graphite grey	120-277V/60HZ	Gfi at 28 in	10000138524
14 FT	 Silver grey	120-277V/60HZ	Gfi at 28 in	10000138526
10 FT	 Natural paint aluminum	120-277V/60HZ	-	10000142534
12 FT	 Natural paint aluminum	120-277V/60HZ	-	10000142535
14 FT	 Natural paint aluminum	120-277V/60HZ	-	10000142536
10 FT	 Natural paint aluminum	120-277V/60HZ	Gfi at 30" us	10000142537
12 FT	 Natural paint aluminum	120-277V/60HZ	Gfi at 30" us	10000142538
14 FT	 Natural paint aluminum	120-277V/60HZ	Gfi at 30" us	10000142539
16 FT	 Natural paint aluminum	120-277V/60HZ	-	10000146290

# Specification sheet

Dimension	Color	Voltage frequency	Lighting control	Variant number
16 FT	 Natural paint aluminum	120-277V/60HZ	Gfi at 30" us	10000146293
16 FT	 Graphite grey	120-277V/60HZ	-	10000146548
16 FT	 Graphite grey	120-277V/60HZ	Gfi at 30" us	10000146552
16 FT	 Silver grey	120-277V/60HZ	-	10000146567
16 FT	 Silver grey	120-277V/60HZ	Gfi at 30" us	10000146569
16 FT	 Black	120-277V/60HZ	-	10000146589
16 FT	 Black	120-277V/60HZ	Gfi at 30" us	10000146608
16 FT	 Corten color	120-277V/60HZ	-	10000146620
16 FT	 Corten color	120-277V/60HZ	Gfi at 30" us	10000146622
18'	 Natural paint aluminum	120-277V/60HZ	-	10000147099
20'	 Natural paint aluminum	120-277V/60HZ	-	10000147101
18'	 Natural paint aluminum	120-277V/60HZ	Gfi at 30" us	10000147103
20'	 Natural paint aluminum	120-277V/60HZ	Gfi at 30" us	10000147104
18'	 Graphite grey	120-277V/60HZ	-	10000147105
20'	 Graphite grey	120-277V/60HZ	-	10000147106
18'	 Graphite grey	120-277V/60HZ	Gfi at 30" us	10000147107
20'	 Graphite grey	120-277V/60HZ	Gfi at 30" us	10000147108
18'	 Silver grey	120-277V/60HZ	-	10000147145
20'	 Silver grey	120-277V/60HZ	-	10000147146
18'	 Silver grey	120-277V/60HZ	Gfi at 30" us	10000147147
20'	 Silver grey	120-277V/60HZ	Gfi at 30" us	10000147148
18'	 Black	120-277V/60HZ	-	10000147433
20'	 Black	120-277V/60HZ	-	10000147434
18'	 Black	120-277V/60HZ	Gfi at 30" us	10000147435
20'	 Black	120-277V/60HZ	Gfi at 30" us	10000147436
18'	 Corten color	120-277V/60HZ	-	10000147482
20'	 Corten color	120-277V/60HZ	-	10000147483
18'	 Corten color	120-277V/60HZ	Gfi at 30" us	10000147485
20'	 Corten color	120-277V/60HZ	Gfi at 30" us	10000147486