

LPL8 CORONA





LPL8-NAT

The LPL8 Corona is scaled to suit architecture that requires a more substantial and weighty look. This path light is ideal for illuminating grand driveways, walkways, and open areas that demand generous light spacing. Every LPL8 path light includes a Thermally Integrated® Field Serviceable LED Module. Utilizing our Copper Core Technology®, the LPL8 module is precisely engineered to transfer heat away from the LED driver/circuit and dissipate throughout the entire luminaire to ensure optimal performance, color consistency, and long life!

See HPL8 for light source and wattage alternatives.

Features include:

- 6 Watts up to 343 lumens at 3000K
- Cree XLAMP® XHP35 High Density LED
- 2700K (80 & 90 CRI) or 3000K (80 CRI), or Amber 585-595nm
- Thermally Integrated® Field Serviceable LED Module
- 12V Integral Driver, Dimmable to <10% typ.
- Compatible w/ 12V AC/DC ELV or MLV Transformers
- Fixed or Extendable Riser
- Solid Copper and Brass Construction



SEE NEXT PAGE FOR ORDERING INFORMATION



LPL8 CORONA

ORDERING GUIDE: ^{Prefix} **LPL8** L (LED) PL (PATH LIGHT) 8 (INCHES)

□ INDICATES REQUIRED FIELD □ INDICATES OPTIONAL FIELD ✓ INCLUDED [_] QUICK SPEC (See Below)

QUICK SPEC SKU LPL8-27-FR-C-2GS-NAT

LPL8

LED COLOR ✓

[27] 2700K, 80CRI

[279] 2700K, 90CRI

[30] 3000K, 80CRI

[AMB] Amber (3W)
(585-595nm)

NOTE: For other CCT
and CRI options,
contact factory

HEIGHT ✓

[FR] Fixed Riser (19" OAH)

[EXT] Extendable Riser (18-36")

LENS ✓

[F] Frosted

[C] Clear

MOUNT

[1/2] 1/2" Male Thread

[2GS] Ground Stake w 2" Cap ✓

[3GS] Ground Stake w 3" Cap

[325GS] Ground Stake w 3 1/4" Cap

[DS] Deluxe Stake 9"

[TR-12] 12" Trident Spike

[PB-S] Power Box w/ Stake
(Inc. 60W 120-12V transformer)

[PM-60] 4" Pedestal Mount

[SM3] 3 1/4" Surface Mount

[SM2] 2 1/4" Surface Mount

FINISH

Standard:

[NAT] Natural ✓

Plus (\$):

[BLP] Bronze Living Patina

[BLP-XD] BLP Extra Dark

Premium (\$\$\$):

[NI] Nickel PVD

[PVD] PVD Color
(Contact Factory for Color Options)

MOUNTS



PHOTOMETRIC OVERVIEW

Information based on 4.5 Watts. To download more in-depth IES photometric data, visit auroralight.com/product/lpl8-corona/

Mounting Height - 1.25 Feet

