BEL-AIR LED

Architectural Indoor




PROJECT:	
TYPE:	
PO#:	QTY:
COMMENTS:	



- ADA Compliant
- Aluminum Reflective LED Mount Plate
- CSA Listed Dry Location For Wall Mounting
- Frosted White Acrylic Diffuser
- LED Light Fixture
- · Mounting Hardware Included
- Mounts Directly to 4" Junction Box (By Others)
- · Open Top
- Steel Mounting Pan w/ Matte Silver Powder Coat Finish
- Steel Trim w/ Matte Silver Powder Coat Finish



LINE DRAWING






FINISHES

Antique Copper

Black




Antique

Silver

Bronze Mist



Textured White



Sand



Swedish



For RAL Colors & Custom Match -**Contact Teron** Lighting Inc.









BEL-AIR LED

Architectural Indoor



PO#: COMMENTS: QTY:

PROJECT: TYPE:

Fixture Core

PRODUCT CODE	SOURCE/WATTAGE	VOLTAGE	DIMMING DRIVER
BLR - Bel-Air	L13.5-ZE420 - 13W @ 560mA 0-10V Dimming Driver	120 - 277V	Not Applicable
	L17.0-ZE530 - 16.3W @ 560mA 0-10V Dimming Driver		
ORDER INFO	L20.5-ZE640 - 21W @ 700mA 0-10V Dimming Driver		
BLR	L13.5-ZE420	120-277V	Not Applicable
Example ^			

Aesthetics & Options

TRIM	FINISH	COLOR TEMP	OPTIONS
Not Applicable	AC - Antique Copper AS - Antique Silver BT - Bronze Mist SM - Matte Silver (Standard) SN - Sand SW - Swedish Steel TB - Textured Black	30K - 3000K Color Temp 35K - 3500K Color Temp 40K - 4000K Color Temp 50K - 5000K Color Temp	TCV - White Acrylic Top Cove
ORDER INFO			
Not Applicable	AC	30K	TP

PROD	SOURCE	30K SPECS		
BLR	L13.5	30K - 3000K Color Tem 2100 LED Source Lumens 155.5 LED Source Lumens Per Watt		
	L17.0	30K - 3000K Color Tem 2650 LED Source Lumens 157 LED Source Lumens Per Watt		
	L20.5	30K - 3000K Color Tem 3100 LED Source Lumens 151 LED Source Lumens Per Watt		

REPLACEMENT PART	PART NO	NOTES
White Acrylic Lens	3040560	
		Don't see the configuration you are looking for? Call us today at (513) 858-6004

