FALDO LED

Architectural Outdoor



PROJECT:	
TYPE:	
PO#:	QTY:
COMMENTS:	




FEATURES

- Aluminum Housing w/ Textured Black Polyester Powder Coat Finish
- · Aluminum Heat-Sink Plate
- Aluminum Solid Top and Bottom End Plates
- · Luminous White Acrylic Panels
- Thermal Compensation Technology Ensures Longer LED Lifetime, Which is Ideal For Fixtures Being Placed in Area w/ Fluctuating or Higher Ambient Temperatures
- 100V 277V
- Mounts Directly to 4" Junction Box (By Others)
- ADA Compliant
- · CSA Listed Wet Location
- · LED Light Fixture
- · Mounting Hardware Included

LINE DRAWING

LINE DRAWING NOT TO SCAL



FINISHES





FALDO LED

Architectural Outdoor



TYPE:	
PO#:	
COLUMENTS	

QTY:

COMMENTS:

PROJECT:

Fixture Core

PRODUCT CODE	DUCT CODE SOURCE/WATTAGE VOLTAGE I		DIMMING DRIVER
FL - Faldo	L - Faldo L18.0-TE500 - 18W @ 500mA ELV Dimming Driver L37.0-ZE1100 - 37.0W @ 1100mA 4-Wire 0-10V Dimming Driver		Not Applicable
ORDER INFO			
FL	L18.0-TE500	120V	Not Applicable

Example ^ (may not represent a manufacturable product)

Aesthetics & Options

TRIM	FINISH	COLOR TEMP	OPTIONS
Not Applicable	AC - Antique Copper AS - Antique Silver BT - Bronze Mist MB - Metallic Black SM - Matte Silver SN - Sand SW - Swedish Steel TB - Textured Black (Standard) BZ - Textured Bronze TW - Textured White	27K - 2700K Color Temp 30K - 3000K Color Temp 35K - 3500K Color Temp 40K - 4000K Color Temp 50K - 5000K Color Temp	F - Fused TP - Tamper-Proof Screw SPD – Surge Protection Device
ORDER INFO			
Not Applicable	AC	27K	F

Example ^ (may not represent a manufacturable product)

PROD	SOURCE	30K SPECS
Faldo	L18.0	80 CRI Typ. 930K - 3000K Color Temp 92484 LED Source Lumens 138 LED Source Lumens Per Watt
	L37.0	880 CRI Typ. 930K - 3000K Color Temp Source Lumens 103.6 LED Source Lumens Per Watt

REPLACEMENT PART	PART NO	NOTES
White Acrylic Lens Panel Set	9800660	Don't see the configuration you are looking for? Call us today at (513) 858-6004



