Project: Type:




LED Strip | topLED 72 W | Dry location | 24V E98017









Technical data	
Туре	LED Strip
Installation position	Wall lights - Ceiling
Installation environment	Indoor
Light Source	LED
Light emission direction	frontal
Power	72 W
Operation	24V
Voltage	24V
ССТ	Green
Safety class	Class 2
IP	IP20
Glow wire test	No
Direct mounting on normally flammable surfaces	Yes
CE	Yes
ETL	Yes
Dimmable article	No
Directional	No
Tilting	No
Walk-over	No
Drive-over	No
Cable included	Yes
Cable length	1.64 ft
Resin potting	No
Type of light emission	Single emission
Electrostatic discharge protection	No
Surge protection	No

Lumen RGBW			
N. Led	Red	Green	Blue
300	540 lm	1395 lm	274 lm

Notes:



LED Strip | topLED 72 W | Dry location | 24V | Base **E98017**

Single emission led strip for indoor application. The RGB LED light source is composed of 300 stripled LEDs.

The ingress protection degree is IP20; the total weight is of 0 lbs.


The total absorbed power is 72 W. The power supply cable is included and features a 1.64 ft lenght.

and can be wall lights or ceiling-mounted.

Compliant with the EN 60598-1 standard and its specific provisions.

Led features	
Delivered lumens	283 lm
Power	72 W
Luminaire efficacy	3 lm/W

OPTICAL		
Light distribution symmetry	Symmetrical	
C0/C180 optics	110°	





Ribbon | LED Strip | Accessories **E98017**

	Extension cable	Code <u>E89124</u>
	Extension cable	Code E89126
	Cable and connector Length 11.81 in; ; colors: white - black - red - yellow.	Code E89122
John Marine Strategy of the St	Multiple socket	Code E89120
	Fixing kit	Code LED-EKIT031
20 90 20 90	Fixing kit	Code <u>E98063</u>
ABBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBB	Fixing kit	Code E98064
	Fixing kit	Code E98065



Ribbon | LED Strip | Accessories **E98017**

Profile	Code <u>E98061</u>
Profile	Code E98066
Diffuser	Code E98062
Diffuser	Code E98941
Diffuser	Code E98942
Diffuser	Code E98943
Diffuser	Code E98930
Diffuser	Code E98898



Ribbon | LED Strip | Accessories **E98017**

Diffuser	Code <u>E98899</u>
Diffuser	Code E98900
Diffuser	Code E98917
Diffuser	Code E98938