Project: Type:




LED Strip | topLED 72 W | CRI 80 | 2700K | Dry location | 24V E98092









Technical data	
Type	LED Strip
Installation position	Wall lights - Ceiling
Installation environment	Indoor
Light Source	LED
Light emission direction	frontal
Power	72 W
Operation	24V
Source lumens	5400 lm
Voltage	24V
CCT	2700 K
Color rendering index	80 Ra
Safety class	Class 2
IP	IP50
Glow wire test	No
Direct mounting on normally flammable surfaces	Yes
CE	Yes
ETL	Yes
Dimmable article	No
Directional	No
Tilting	No
Walk-over	No
Drive-over	No
Cable included	Yes
Cable length	1.64 ft
Resin potting	No
Type of light emission	Single emission
Electrostatic discharge protection	No
Surge protection	No

Notes:		



LED Strip | topLED 72 W | CRI 80 | 2700K | Dry location | 24V | Base **E98092**

Single emission led strip for indoor application. The warm white LED light source is composed of 300 stripled LEDs with CCT of 2700 K and a CRI 80; the source luminous flux is 5400 lm, with a 75.0 lm/W nominal luminous efficacy.

The ingress protection degree is IP50; the total weight is of 0 lbs.


The total absorbed power is 72 W. The power supply cable is included and features a 1.64 ft lenght.

and can be wall lights or ceiling-mounted.

Compliant with the EN 60598-1 standard and its specific provisions.

Led features	
Light Output Ratio (LOR)	4 %
Source lumens	5400 lm
Delivered lumens	216 lm
Power	72 W
Luminaire efficacy	3 lm/W
Color temperature	2700 K
Color rendering index	80 Ra

OPTICAL	
Light distribution symmetry	Symmetrical
C0/C180 optics	110°





Dropper | LED Strip | Accessories **E98092**

	Fixing kit	Code LED-EKIT031
49 98 49 98	Fixing kit	Code E98063
BBBB	Fixing kit	Code <u>E98064</u>
79 79 79 79	Fixing kit	Code E98065
	Profile	Code E98061
	Profile	Code E98066
	Diffuser	Code E98062
	Diffuser	Code E98941



Dropper | LED Strip | Accessories **E98092**

Diffuser	Code E98942
Diffuser	Code E98943
Diffuser	Code E98930
Diffuser	Code E98898
Diffuser	Code E98899
Diffuser	Code E98900
Diffuser	Code E98917
Cable and connector Length 39.37 in: insulation single: : cable gland: no: colors:	Code E89123



Length 39.37 in; insulation single; ; cable gland: no; colors: black - red.



Dropper | LED Strip | Accessories **E98092**

Cable and connector Length 118.11 in; insulation single; ; cable gland: no; colors: black - red.	Code E89125
Cable and connector Length 11.81 in; insulation single; ; cable gland: no; colors: black - red.	Code E89121
Multiple socket	Code E89119