


Dropper

Project: _____
 Type: _____



LED Strip | topLED 24 W | CRI 80 | 2700K | Dry location | 24V
E98019



Technical data	
Type	LED Strip
Installation position	Wall lights - Ceiling
Installation environment	Indoor
Light Source	LED
Power	24 W
Operation	24V
Source lumens	1800 lm
Voltage	24V
CCT	2700 K
Color rendering index	80 Ra
Safety class	Class 2
IP	IP50
Glow wire test	No
Direct mounting on normally flammable surfaces	Yes
CE	Yes
ETL	Yes
Dimmable article	No
Directional	No
Tilting	No
Walk-over	No
Drive-over	No
Cable included	Yes
Cable length	1.64 ft
Resin potting	No
Type of light emission	Single emission
Electrostatic discharge protection	No
Surge protection	No

Notes:

Dropper



LED Strip | topLED 24 W | CRI 80 | 2700K | Dry location | 24V | Base E98019

Single emission led strip for indoor application. The warm white LED light source is composed of 5 stripled LEDs with CCT of 2700 K and a CRI 80; the source luminous flux is 1800 lm, with a 75.0 lm/W nominal luminous efficacy.

The ingress protection degree is IP50; the total weight is of 0 lbs.

The total absorbed power is 24 W. The power supply cable is included and features a 1.64 ft length.

and can be wall lights or ceiling-mounted.


Compliant with the EN 60598-1 standard and its specific provisions.

Led features

Light Output Ratio (LOR)	4 %
Source lumens	1800 lm
Delivered lumens	72 lm
Power	24 W
Luminaire efficacy	3 lm/W
Color temperature	2700 K
Color rendering index	80 Ra

OPTICAL








Light distribution symmetry	Symmetrical
C0/C180 optics	110°



Dropper




Dropper | LED Strip | Accessories
E98019

	Fixing kit	Code <u>LED-EKIT031</u>
	Fixing kit	Code <u>E98063</u>
	Fixing kit	Code <u>E98064</u>
	Fixing kit	Code <u>E98065</u>
	Profile	Code <u>E98061</u>
	Profile	Code <u>E98066</u>
	Diffuser	Code <u>E98062</u>
	Diffuser	Code <u>E98941</u>

Dropper




Dropper | LED Strip | Accessories
E98019




Diffuser

Code
E98942



Diffuser

Code
E98943



Diffuser

Code
E98930

Diffuser

Code
E98898

Diffuser

Code
E98899

Diffuser

Code
E98900

Diffuser

Code
E98917



Cable and connector
Length 39.37 in; insulation single; ; cable gland: no; colors:
black - red.

Code
E89123



Cable and connector
Length 118.11 in; insulation single; ; cable gland: no; colors:
black - red.

Code
E89125



Cable and connector
Length 11.81 in; insulation single; ; cable gland: no; colors:
black - red.

Code
E89121



Multiple socket

Code
E89119