

Four-Light Bath

Project:

Fixture Type: Location:

Contact:

Wall mounted • Damp location listed PROGRESS LED

Description:

Tubular etched glass shades pop against a geometric back plate to create Colonnade, an LED bath and vanity collection. Modern style and continuous illumination are ideal for a variety of bath and vanity settings - including Mid-Century and Luxe. LED source features 3000K and 90 CRI benefits, as well as a lifespan of more than 42,000 hours.

Specifications:

- Brushed Nickel (-009) (plated)
- Steel construction .
- . Etched White Glass Cylindrical
- Tubular etched glass shades pop against a geometric back plate in Colonnade .
- 4-light 38-watt LED bath fixture •
- Colonnade is an LED bath and vanity collection •
- An integrated LED source provides a variety of energy and cost savings benefits for the homeowner .
- Measures 31 3/8"W x 7 1/2" H .
- 2026 lumens 52 lumens/watt (delivered) •
- Warm white 3000K lighting color and 90+CRI •
- Ideal for Mid-Century and Luxe environments •
- Mount on wall in bath and vanity settings to enhance a spa-like atmosphere .
- Shop the complete Colonnade LED collection for a coordinated look throughout your bath and . vanity areas
- Damp location listed •
- Dimmable to 10% brightness (See Dimming Notes) •
- Back plate covers a standard 4" octagonal recessed outlet box •
- Mounting plate for outlet box included •
- 6" of wire supplied •
- Complies with "Americans with Disabilities Act" ADA .
- Meets California Title 24 JA8-2016 .

Performance:

Number of Modules	4	Glass Width: 2 Length: 2 Height: 7
Input Power	38w per module	
Input Voltage	120 V	
Input Frequency	60 Hz	
Lumens/LPW (Delivered)	2026/52.2 (LM-79)	
ССТ	3000 K	
CRI	90 CRI	
Life (hours)	50,000 (L70/TM-21)	
FCC	Meets FCC Title 47, Part 15 Class B	
Min. Start Temp	-10 °C	
Warranty	5 year limited warranty	
Labels	cETLus Damp location listed	
	Meets California Title 24 JA8-2016	



Images:



Dimensions:

Width: 31-3/8" Depth: 3-7/8" Height: 7-1/2" H/CTR: 3-7/8"

2-3/8" 2-3/8" 7-1/2"



Four-Light Bath

Wall mounted • Damp location listed PROGRESS LED

P300188-009-30

Dimming Notes:

P300188 is designed to be compatible with many Triac/Forward Phase or ELV/Reverse Phase controls.

The following is a partial list of known compatible dimmer controls.

Dimming Controls Lutron - DVCL-253P Lutron - Caseta Wireless Leviton - 6672 Leviton - 6681

Lutron - AYCL-153P

Lutron - AYLV-600P

Lutron - NTLV-600

Lutron - N-600

Dimming capabilities will vary depending on the dimmer control, load, and circuit installation. Always refer to dimmer manufacturer instructions or a controls specialist for specific requirements.

Dimmer control brand names where identified above are trade names or registered trademarks of each respective company.