

Project:		
Fixture Type:		
Location:		
Contact:		

One-Light Flush Mount

Wall mounted • Damp location listed PROGRESS LED





Description:

Enjoy Progress Lighting's version of a starry night with this LED square ceiling mount fixture. The geometric panel glass has an etched glass diffuser and Graphite plate. 90 plus CRI, 3000K, 1,211 lumens 71.2 lumens/watt per module (source). Dimmable to 10 percent with ELV type dimmers. Can be wall mounted also.

Specifications:

- Graphite (-143) (painted)
- Steel Construction
- Etched glass square
- LED Module is replaceable (part # 93053641)
- · Decorative shield features a pinhole pattern resembling a night sky.
- Enjoy an unexpected and pleasing "twinkle" lighting effect.
- · Available with a gently curved metal reflector for grazing effect or a glass diffuser for more general illumination.
- 1,211 lumens 71.2 lumens/watt per module (source)
- 3000K color temperature, 90+ CRI.
- Dimmable to 10% brightness (See Dimming Notes)
- Chassis covers a standard 4" octagonal recessed outlet box
- Mounting strap for outlet box included
- 6" of wire supplied
- Complies with "Americans with Disabilities Act" ADA
- ENERGY STAR® qualified

Performance:

Number of Modules	1	
Input Power	17w	
Input Voltage	120 V	
Input Frequency	60 Hz	
Lumens/LPW (Source)	1211/71.2 (LM-82)	
Lumens/LPW (Delivered)	664.95/40.3 (LM-79)	
ССТ	3000 K	
CRI	90+	
Life (hours)	60,000 (L70/TM-21)	
FCC	Meets FCC Title 47, Part 15 Class B	
Min. Start Temp	-30 °C	
Max. Operating Temp	30 °C	
Warranty	5 year warranty	
Labels	cCSAus Damp location listed	
	ENERGY STAR® qualified	

P2333-14330K9

Images:



Dimensions:

Square: 10-1/2" Depth: 3-1/4" Height: 10-1/2" H/CTR: 5-1/4"



One-Light Flush Mount





P2333-14330K9

Dimming Notes:

P2333 is designed to be compatible with many ELV/Reverse Phase controls.

The following is a partial list of known compatible dimmer controls.

Dimming Controls

Lutron Nova T NTELV-300

Lutron Vierti VTELV-600

Lutron Maestro MAELV-600

Lutron spacer/system SPSELV-600

Leviton Renoir II AWRMG-EAW

Dimming capabilities will vary depending on the dimmer control, load, and circuit installation. Always refer to dimmer manufacturer instructions or a controls specialist for specific requirements.

Dimmer control brand names where identified above are trade names or registered trademarks of each respective company.