Showline SL BAR 720ZT



The SL BAR 720ZT is a high performance linear wash and effect luminaire.

DMX motorized zoom and tilt combined with powerful output make the SL BAR 720ZT an ideal solution for blended linear washes and distinctive dynamic beam effects.

Sh⊕wline SL BAR 720ZT

FEATURES AND BENEFITS


- 5000 lumens
- Low power consumption 420W maximum
- 5.5-30° zoom range
- High output saturated colors mid-air effects
- Designed to withstand the riggers of the entertainment industry
- Easy install utilizing detachable 1/2 turn Omega clamps for quick swap over from floor to hang
- Easy removable front lens for infield cleaning
- Two-year limited warranty


SOURCE				
Туре	RGBW LED			
Qty of LED cells	6			
Wattage	420W			
OPTICAL PERFORMANCE				
Lumen output (max)	5000			
Color temperature	2700-6500K RGBW			
CRI / Ra	>90			
Dimming system	Electronic 16-bit			
BEAM				
Beam angle	5.5-38° 9.5-54° field			
IMAGING				
Pixel / zone control	1/6			
Macro effects	Pre-set filter colors, color chases, strobe and duration control			
COLOR				
Color mixing	RGBW			
Color calibration	Yes			
MOVEMENT				
Tilt	220° @ 2.4s			
DATA PROTOCOLS				
Controls	DMX512-A / RDM, Art-Net, local control			
DMX mode	RGBW 8-bit, RGBW 16-bit, HSIC			

Showline

SL BAR 720ZT

POWER				
Operating voltage	100-240VAC, 50 /	100-240VAC, 50 / 60Hz		
Wattage (max.)	420W	420W		
COOLING				
Fan	Yes	Yes		
Fan control	Auto / off	Auto / off		
ENVIRONMENT	°C	°F		
Operating temperature	0-40	32-107		
PHYSICALS				
IP rating	IP20	IP20		
Finish	Black	Black		
Mounting position	Any	Any		
Construction	Metal frame, plasti	Metal frame, plastic covers		
DIMENSIONS	mm	in		
LxHxW	780 x 129 x 354	30.7 x 5 x 14		
Hanging centers	780	30.7		
	Fixtures can sit sid horizontally	Fixtures can sit side-by-side, in a straight line vertically or horizontally		
WEIGHT	kg	lb		
Net weight	19	41.8		
WARRANTY & APPROBATIONS				
Warranty	2 years	2 years		
Approvals / listings	CE, ETL, UL, FCC (CE, ETL, UL, FCC CSA, RoHS, ISO 9001		





Showline SL BAR 720ZT

PRODUCT NAME	REGION	ORDER CODE
Vari-Lite SL BAR 720ZT IP20 complete with powerCON to bare-end cable	EMEA / APAC	88-095-6682-36 SLBAR620
Vari-Lite SL BAR 720ZT IP20 complete with powerCON to UL3 plug	Americas	88-095-6912-36
Luminaire programing kit	PEGASUS	

© 2018 Signify Holding. All rights reserved.

All trademarks are owned by Signify Holding or their respective owners. The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Data subject to change.

Ref: 88-095-6682-36-100-v00