

PERFORMANCE DATA

PERFORMANCE TABLE – 80 CRI CW LENS												
FIXTURE	3000K			3500K			4000K			5000K		
	LUMENS	WATTS	LPW	LUMENS	WATTS	LPW	LUMENS	WATTS	LPW	LUMENS	WATTS	LPW
MPS2-VW	1630	13.80	118.1	1659	13.80	120	1681	13.80	122	1736	13.80	126
MPS2-MW	2162	18.20	118.8	2201	18.20	121	2229	18.20	122	2303	18.20	127
MPS2-MWHE	1952	15.50	126	1987	15.50	128	2013	15.50	130	2079	15.50	134
MPS2-LW	2401	20.40	117.7	2444	20.40	120	2475	20.40	121	2557	20.40	125
MPS2-LWHE	2514	20.20	124	2559	20.20	127	2592	20.20	128	2677	20.20	133
MPS2-ML	3391	29.00	116.9	3452	29.00	119	3496	29.00	121	3611	29.00	125
MPS2-HL	3590	31.70	113.2	3655	31.70	115	3701	31.70	117	3823	31.70	121
MPS4-XW	2528	20	126.4	2574	20	129	2606	20	130	2692	20	135
MPS4-XWHE	2359	18.1	130.3	2401	18.1	133	2432	18.1	134	2512	18.1	139
MPS4-VW	3221	26.7	120.6	3279	26.7	123	3321	26.7	124	3430	26.7	128
MPS4-VWHE	3099	24.4	127.0	3155	24.4	129	3195	24.4	131	3300	24.4	135
MPS4-MW	3591	30.4	118.1	3656	30.4	120	3702	30.4	122	3824	30.4	126
MPS4-MWHE	3485	27.6	126.3	3548	27.6	129	3593	27.6	130	3712	27.6	134
MPS4-LW	3972	34.4	115.5	4043	34.4	118	4095	34.4	119	4230	34.4	123
MPS4-LWHE	3892	29.1	133.7	3962	29.1	136	4013	29.1	138	4145	29.1	142
MPS4-ML	4475	40.1	111.6	4556	40.1	114	4614	40.1	115	4766	40.1	119
MPS4-MLHE	4461	33.8	132.0	4541	33.8	134	4599	33.8	136	4751	33.8	141
MPS4-HL	5658	49.5	114.3	5760	49.5	116	5833	49.5	118	6026	49.5	122
MPS4-HLHE	5393	40.8	132.2	5490	40.8	135	5560	40.8	136	5744	40.8	141
MPS4-VL	6649	54.1	122.9	6769	54.1	125	6855	54.1	127	7081	54.1	131
MPS4-XL	7903	66.5	118.8	8045	66.5	121	8148	66.5	123	8417	66.5	127
MPS8-XW	5056	40	126.4	5147	40	129	5213	40	130	5385	40	135
MPS8-XWHE	4718	36.2	130	4803	36.2	133	4864	36.2	134	5025	36.2	139
MPS8-VW	6442	53.4	120.6	6558	53.4	123	6642	53.4	124	6861	53.4	128
MPS8-VWHE	6198	48.8	127	6310	48.8	129	6390	48.8	131	6601	48.8	135
MPS8-MW	7182	60.8	118.1	7311	60.8	120	7405	60.8	122	7649	60.8	126
MPS8-MWHE	6970	55.2	126	7095	55.2	129	7186	55.2	130	7423	55.2	134
MPS8-LW	7944	68.8	115.5	8087	68.8	118	8190	68.8	119	8460	68.8	123
MPS8-LWHE	7784	58.2	134	7924	58.2	136	8025	58.2	138	8290	58.2	142
MPS8-ML	8950	80.2	111.6	9111	80.2	114	9227	80.2	115	9532	80.2	119
MPS8-MLHE	8922	67.6	132	9083	67.6	134	9199	67.6	136	9502	67.6	141
MPS8-HL	11316	99	114.3	11520	99	116	11667	99	118	12052	99	122
MPS8-HLHE	10786	81.6	132	10980	81.6	135	11120	81.6	136	11487	81.6	141
MPS8-VL	13298	108.2	122.9	13537	108.2	125	13710	108.2	127	14162	108.2	131
MPS8-XL	15806	133	118.8	16091	133	121	16296	133	123	16833	133	127

PERFORMANCE DATA

PERFORMANCE TABLE – 80 CRI FW LENS												
FIXTURE	3000K			3500K			4000K			5000K		
	LUMENS	WATTS	LPW	LUMENS	WATTS	LPW	LUMENS	WATTS	LPW	LUMENS	WATTS	LPW
MPS2-VW	1556	13.50	115.3	1584	13.50	117	1604	13.50	119	1657	13.50	123
MPS2-MW	2039	17.80	114.6	2076	17.80	117	2102	17.80	118	2172	17.80	122
MPS2-MWHE	1882	15.40	122	1917	15.40	124	1941	15.40	126	2005	15.40	130
MPS2-LW	2268	19.90	114.0	2309	19.90	116	2338	19.90	118	2415	19.90	121
MPS2-LWHE	2464	20.10	123	2509	20.10	125	2540	20.10	126	2624	20.10	131
MPS2-ML	3354	28.80	116.5	3414	28.80	119	3458	28.80	120	3572	28.80	124
MPS2-HL	3613	31.50	114.7	3678	31.50	117	3725	31.50	118	3848	31.50	122
MPS4-XW	2419	20	121.0	2463	20	123	2494	20	125	2576	20	129
MPS4-XWHE	2291	18.1	126.6	2332	18.1	128.9	2362	18.1	130	2440	18.1	135
MPS4-VW	3079	26.5	116.2	3134	26.5	118	3174	26.5	120	3279	26.5	124
MPS4-VWHE	3081	24.3	126.8	3137	24.3	129.1	3176	24.3	131	3281	24.3	135
MPS4-MW	3429	30.1	113.9	3491	30.1	116	3535	30.1	117	3652	30.1	121
MPS4-MWHE	3456	27.5	125.7	3519	27.5	128.0	3563	27.5	130	3680	27.5	134
MPS4-LW	4000	32.5	123.1	4072	32.5	125	4124	32.5	127	4260	32.5	131
MPS4-LWHE	3721	29.1	127.9	3788	29.1	130	3836	29.1	132	3963	29.1	136
MPS4-ML	4543	37.8	120.2	4625	37.8	122	4684	37.8	124	4838	37.8	128
MPS4-MLHE	4254	33.7	126.2	4332	33.7	129	4386	33.7	130	4531	33.7	134
MPS4-HL	5639	49.4	114.1	5741	49.4	116	5814	49.4	118	6006	49.4	122
MPS4-HLHE	5207	41	127.0	5301	41	129	5368	41	131	5545	41	135
MPS4-VL	6520	54.1	120.5	6637	54.1	123	6722	54.1	124	6944	54.1	128
MPS4-XL	7675	66.9	114.7	7813	66.9	117	7913	66.9	118	8174	66.9	122
MPS8-XW	4838	40	121.0	4925	40	123	4988	40	125	5152	40	129
MPS8-XWHE	4582	36.2	127	4664	36.2	129	4724	36.2	130	4880	36.2	135
MPS8-VW	6158	53	116.2	6269	53	118	6349	53	120	6558	53	124
MPS8-VWHE	6161	48.6	127	6272	48.6	129	6352	48.6	131	6562	48.6	135
MPS8-MW	6858	60.2	113.9	6981	60.2	116	7071	60.2	117	7304	60.2	121
MPS8-MWHE	6911	55	126	7036	55	128	7126	55	130	7361	55	134
MPS8-LW	8000	65	123.1	8144	65	125	8248	65	127	8520	65	131
MPS8-LWHE	7442	58.2	128	7576	58.2	130	7673	58.2	132	7926	58.2	136
MPS8-ML	9086	75.6	120.2	9250	75.6	122	9368	75.6	124	9677	75.6	128
MPS8-MLHE	8508	67.4	126	8661	67.4	129	8772	67.4	130	9061	67.4	134
MPS8-HL	11278	98.8	114.1	11481	98.8	116	11628	98.8	118	12011	98.8	122
MPS8-HLHE	10414	82	127	10601	82	129	10737	82	131	11091	82	135
MPS8-VL	13040	108.2	120.5	13275	108.2	123	13444	108.2	124	13888	108.2	128
MPS8-XL	15350	133.8	114.7	15626	133.8	117	15826	133.8	118	16348	133.8	122

PERFORMANCE TABLE – 80 CRI CN LENS												
FIXTURE	3000K			3500K			4000K			5000K		
	LUMENS	WATTS	LPW	LUMENS	WATTS	LPW	LUMENS	WATTS	LPW	LUMENS	WATTS	LPW
MPS2-VW	1569	13.50	116.22	1597	13.50	118	1618	13.50	120	1671	13.50	124
MPS2-MW	2055	17.80	115.45	2092	17.80	118	2119	17.80	119	2189	17.80	123
MPS2-LW	2287	19.90	114.92	2328	19.90	117	2358	19.90	118	2436	19.90	122
MPS2-ML	3386	28.80	117.57	3447	28.80	120	3491	28.80	121	3606	28.80	125
MPS2-HL	3641	31.50	115.59	3707	31.50	118	3754	31.50	119	3878	31.50	123
MPS4-XW	2426	19.9	121.91	2470	19.9	124	2501	19.9	126	2584	19.9	130
MPS4-VW	3096	26.5	116.83	3152	26.5	119	3192	26.5	120	3297	26.5	124
MPS4-MW	3449	30.1	114.58	3511	30.1	117	3556	30.1	118	3673	30.1	122
MPS4-LW	4022	32.5	123.75	4094	32.5	126	4147	32.5	128	4283	32.5	132
MPS4-ML	4567	37.7	121.14	4649	37.7	123	4709	37.7	125	4864	37.7	129
MPS4-HL	5679	49.4	114.96	5781	49.4	117	5855	49.4	119	6048	49.4	122
MPS4-VL	6557	54.1	121.20	6675	54.1	123	6760	54.1	125	6983	54.1	129
MPS4-XL	7739	66.8	115.85	7878	66.8	118	7979	66.8	119	8242	66.8	123
MPS8-XW	4852	39.8	121.91	4939	39.8	124	5002	39.8	126	5167	39.8	130
MPS8-VW	6192	53	116.83	6303	53	119	6384	53	120	6594	53	124
MPS8-MW	6898	60.2	114.58	7022	60.2	117	7112	60.2	118	7346	60.2	122
MPS8-LW	8044	65	123.75	8189	65	126	8293	65	128	8567	65	132
MPS8-ML	9134	75.4	121.14	9298	75.4	123	9417	75.4	125	9728	75.4	129
MPS8-HL	11358	98.8	114.96	11562	98.8	117	11710	98.8	119	12096	98.8	122
MPS8-VL	13114	108.2	121.20	13350	108.2	123	13521	108.2	125	13966	108.2	129
MPS8-XL	15478	133.6	115.85	15757	133.6	118	15958	133.6	119	16484	133.6	123

PERFORMANCE DATA

PERFORMANCE TABLE – 80 CRI NO LENS												
FIXTURE	3000K			3500K			4000K			5000K		
	LUMENS	WATTS	LPW	LUMENS	WATTS	LPW	LUMENS	WATTS	LPW	LUMENS	WATTS	LPW
MPS2-VW	1694	13.8	123	1724	13.8	125	1746	13.8	127	1804	13.8	131
MPS2-MW	2246	18.2	123	2287	18.2	126	2316	18.2	127	2392	18.2	131
MPS2-MWHE	2028	15.5	131	2065	15.5	133	2091	15.5	135	2160	15.5	139
MPS2-LW	2495	20.4	122	2540	20.4	124	2572	20.4	126	2657	20.4	130
MPS2-LWHE	2612	20.2	129	2659	20.2	132	2693	20.2	133	2782	20.2	138
MPS2-ML	3523	29.0	121	3587	29.0	124	3632	29.0	125	3752	29.0	129
MPS2-HL	3730	31.7	118	3797	31.7	120	3846	31.7	121	3972	31.7	125
MPS4-XW	2627	20.0	131	2674	20.0	134	2708	20.0	135	2797	20.0	140
MPS4-XWHE	2451	18.1	135	2495	18.1	138	2527	18.1	140	2610	18.1	144
MPS4-VW	3347	26.7	125	3407	26.7	128	3450	26.7	129	3564	26.7	133
MPS4-VWHE	3220	24.4	132	3278	24.4	134	3320	24.4	136	3429	24.4	141
MPS4-MW	3731	30.4	123	3798	30.4	125	3847	30.4	127	3974	30.4	131
MPS4-MWHE	3621	27.6	131	3686	27.6	134	3733	27.6	135	3856	27.6	140
MPS4-LW	4127	34.4	120	4201	34.4	122	4255	34.4	124	4395	34.4	128
MPS4-LWHE	4044	29.1	139	4117	29.1	141	4169	29.1	143	4307	29.1	148
MPS4-ML	4650	40.1	116	4733	40.1	118	4794	40.1	120	4952	40.1	123
MPS4-MLHE	4635	33.8	137	4718	33.8	140	4779	33.8	141	4936	33.8	146
MPS4-HL	5879	49.5	119	5984	49.5	121	6061	49.5	122	6261	49.5	126
MPS4-HLHE	5603	40.8	137	5704	40.8	140	5777	40.8	142	5968	40.8	146
MPS4-VL	6908	54.1	128	7033	54.1	130	7122	54.1	132	7357	54.1	136
MPS4-XL	8211	66.5	123	8359	66.5	126	8466	66.5	127	8745	66.5	132
MPS8-XW	5253	40.0	131	5348	40.0	134	5416	40.0	135	5595	40.0	140
MPS8-XWHE	4902	36.2	135	4990	36.2	138	5054	36.2	140	5221	36.2	144
MPS8-VW	6693	53.4	125	6814	53.4	128	6901	53.4	129	7128	53.4	133
MPS8-VWHE	6440	48.8	132	6556	48.8	134	6639	48.8	136	6858	48.8	141
MPS8-MW	7462	60.8	123	7596	60.8	125	7693	60.8	127	7947	60.8	131
MPS8-MWHE	7242	55.2	131	7372	55.2	134	7466	55.2	135	7713	55.2	140
MPS8-LW	8254	68.8	120	8402	68.8	122	8510	68.8	124	8790	68.8	128
MPS8-LWHE	8088	58.2	139	8233	58.2	141	8338	58.2	143	8613	58.2	148
MPS8-ML	9299	80.2	116	9466	80.2	118	9587	80.2	120	9903	80.2	123
MPS8-MLHE	9270	67.6	137	9437	67.6	140	9557	67.6	141	9873	67.6	146
MPS8-HL	11757	99.0	119	11969	99.0	121	12122	99.0	122	12522	99.0	126
MPS8-HLHE	11207	81.6	137	11408	81.6	140	11554	81.6	142	11935	81.6	146
MPS8-VL	13817	108.2	128	14065	108.2	130	14245	108.2	132	14715	108.2	136
MPS8-XL	16422	133.0	123	16718	133	126	16932	133.0	127	17490	133.0	132

PERFORMANCE TABLE – 90 CRI CW LENS												
FIXTURE	3000K			3500K			4000K			5000K		
	LUMENS	WATTS	LPW	LUMENS	WATTS	LPW	LUMENS	WATTS	LPW	LUMENS	WATTS	LPW
MPS2-VW	1413	13.70	103.14	1443	13.70	105	1474	13.70	108	1570	13.70	115
MPS2-MW	1847	18.00	102.61	1886	18.00	105	1926	18.00	107	2052	18.00	114
MPS2-LW	2052	20.20	101.58	2095	20.20	104	2140	20.20	106	2280	20.20	113
MPS2-ML	2971	29.10	102.10	3033	29.10	104	3099	29.10	106	3301	29.10	113
MPS2-HL	3196	31.80	100.50	3263	31.80	103	3333	31.80	105	3551	31.80	112
MPS4-XW	2117	19.9	106.38	2161	19.9	109	2208	19.9	111	2352	19.9	118
MPS4-VW	2726	26.7	102.10	2783	26.7	104	2843	26.7	106	3029	26.7	113
MPS4-MW	3032	30.4	99.74	3096	30.4	102	3162	30.4	104	3369	30.4	111
MPS4-LW	3571	32.9	108.54	3646	32.9	111	3725	32.9	113	3967	32.9	121
MPS4-ML	4049	38.1	106.27	4134	38.1	109	4223	38.1	111	4498	38.1	118
MPS4-HL	4954	49.3	100.49	5058	49.3	103	5167	49.3	105	5504	49.3	112
MPS4-VL	5734	54.3	105.60	5854	54.3	108	5981	54.3	110	6370	54.3	117
MPS4-XL	6683	66.9	99.90	6823	66.9	102	6970	66.9	104	7425	66.9	111
MPS8-XW	4234	39.8	106.38	4323	39.8	109	4416	39.8	111	4704	39.8	118
MPS8-VW	5452	53.4	102.10	5566	53.4	104	5686	53.4	106	6057	53.4	113
MPS8-MW	6064	60.8	99.74	6191	60.8	102	6325	60.8	104	6737	60.8	111
MPS8-LW	7142	65.8	108.54	7292	65.8	111	7449	65.8	113	7935	65.8	121
MPS8-ML	8098	76.2	106.27	8268	76.2	109	8446	76.2	111	8997	76.2	118
MPS8-HL	9908	98.6	100.49	10116	98.6	103	10334	98.6	105	11008	98.6	112
MPS8-VL	11468	108.6	105.60	11709	108.6	108	11961	108.6	110	12741	108.6	117
MPS8-XL	13366	133.8	99.90	13647	133.8	102	13941	133.8	104	14850	133.8	111

PERFORMANCE DATA

PERFORMANCE TABLE – 90 CRI FW LENS												
FIXTURE	3000K			3500K			4000K			5000K		
	LUMENS	WATTS	LPW	LUMENS	WATTS	LPW	LUMENS	WATTS	LPW	LUMENS	WATTS	LPW
MPS2-VW	1377	13.50	102.03	1407	13.50	104	1437	13.50	106	1530	13.50	113
MPS2-MW	1801	17.90	100.63	1840	17.90	103	1879	17.90	105	2001	17.90	112
MPS2-LW	1998	20.00	99.91	2041	20.00	102	2084	20.00	104	2220	20.00	111
MPS2-ML	2867	28.50	100.58	2928	28.50	103	2990	28.50	105	3185	28.50	112
MPS2-HL	3084	31.20	98.84	3150	31.20	101	3216	31.20	103	3426	31.20	110
MPS4-XW	2117	19.9	106.38	2161	19.9	109	2208	19.9	111	2352	19.9	118
MPS4-VW	2726	26.7	102.10	2783	26.7	104	2843	26.7	106	3029	26.7	113
MPS4-MW	3032	30.4	99.74	3096	30.4	102	3162	30.4	104	3369	30.4	111
MPS4-LW	3463	32.8	105.57	3537	32.8	108	3612	32.8	110	3847	32.8	117
MPS4-ML	3923	38	103.23	4007	38	105	4092	38	108	4358	38	115
MPS4-HL	4831	49.3	98.00	4935	49.3	100	5039	49.3	102	5368	49.3	109
MPS4-VL	5512	53.9	102.26	5630	53.9	104	5749	53.9	107	6124	53.9	114
MPS4-XL	6483	66.8	97.05	6622	66.8	99	6762	66.8	101	7203	66.8	108
MPS8-XW	4234	39.8	106.38	4323	39.8	109	4416	39.8	111	4704	39.8	118
MPS8-VW	5452	53.4	102.10	5566	53.4	104	5686	53.4	106	6057	53.4	113
MPS8-MW	6064	60.8	99.74	6191	60.8	102	6325	60.8	104	6737	60.8	111
MPS8-LW	6925	65.6	105.57	7071	65.6	108	7223	65.6	110	7694	65.6	117
MPS8-ML	7846	76	103.23	8010	76	105	8183	76	108	8717	76	115
MPS8-HL	9663	98.6	98.00	9866	98.6	100	10078	98.6	102	10735	98.6	109
MPS8-VL	11024	107.8	102.26	11255	107.8	104	11498	107.8	107	12247	107.8	114
MPS8-XL	12966	133.6	97.05	13238	133.6	99	13523	133.6	101	14405	133.6	108

PERFORMANCE TABLE – 90 CRI CN LENS												
FIXTURE	3000K			3500K			4000K			5000K		
	LUMENS	WATTS	LPW	LUMENS	WATTS	LPW	LUMENS	WATTS	LPW	LUMENS	WATTS	LPW
MPS2-VW	1385	13.5	103	1414	13.5	105	1444	13.5	107	1538	13.5	114
MPS2-MW	1810	17.8	102	1848	17.8	104	1888	17.8	106	2011	17.8	113
MPS2-LW	2011	19.9	101	2053	19.9	103	2097	19.9	105	2234	19.9	112
MPS2-ML	2912	28.8	101	2973	28.8	103	3037	28.8	105	3235	28.8	112
MPS2-HL	3132	31.5	99	3198	31.5	102	3267	31.5	104	3480	31.5	110
MPS4-XW	2075	19.9	104	2118	19.9	106	2164	19.9	109	2305	19.9	116
MPS4-VW	2671	26.5	101	2728	26.5	103	2786	26.5	105	2968	26.5	112
MPS4-MW	2971	30.1	99	3034	30.1	101	3099	30.1	103	3301	30.1	110
MPS4-LW	3500	32.5	108	3573	32.5	110	3650	32.5	112	3888	32.5	120
MPS4-ML	3968	37.7	105	4051	37.7	107	4139	37.7	110	4408	37.7	117
MPS4-HL	4855	49.4	98	4957	49.4	100	5064	49.4	103	5394	49.4	109
MPS4-VL	5619	54.1	104	5737	54.1	106	5861	54.1	108	6243	54.1	115
MPS4-XL	6549	66.8	98	6687	66.8	100	6831	66.8	102	7276	66.8	109
MPS8-XW	4149	39.8	104	4236	39.8	106	4328	39.8	109	4610	39.8	116
MPS8-VW	5343	53	101	5455	53	103	5573	53	105	5936	53	112
MPS8-MW	5943	60.2	99	6068	60.2	101	6198	60.2	103	6602	60.2	110
MPS8-LW	6999	65	108	7146	65	110	7300	65	112	7776	65	120
MPS8-ML	7936	75.4	105	8103	75.4	107	8277	75.4	110	8817	75.4	117
MPS8-HL	9710	98.8	98	9914	98.8	100	10127	98.8	103	10788	98.8	109
MPS8-VL	11239	108.2	104	11475	108.2	106	11722	108.2	108	12486	108.2	115
MPS8-XL	13099	133.6	98	13374	133.6	100	13662	133.6	102	14553	133.6	109

PERFORMANCE DATA

PERFORMANCE TABLE – 90 CRI NO LENS												
FIXTURE	3000K			3500K			4000K			5000K		
	LUMENS	WATTS	LPW	LUMENS	WATTS	LPW	LUMENS	WATTS	LPW	LUMENS	WATTS	LPW
MPS2-VW	1440	13.8	104	1465	13.8	106	1484	13.8	108	1533	13.8	111
MPS2-MW	1909	18.2	105	1944	18.2	107	1969	18.2	108	2033	18.2	112
MPS2-LW	2120	20.4	104	2159	20.4	106	2186	20.4	107	2258	20.4	111
MPS2-ML	2995	29.0	103	3049	29.0	105	3088	29.0	106	3189	29.0	110
MPS2-HL	3171	31.7	100	3228	31.7	102	3269	31.7	103	3377	31.7	107
MPS4-XW	2233	20.0	112	2273	20.0	114	2302	20.0	115	2378	20.0	119
MPS4-VW	2845	26.7	107	2896	26.7	108	2933	26.7	110	3030	26.7	113
MPS4-MW	3171	30.4	104	3228	30.4	106	3270	30.4	108	3378	30.4	111
MPS4-LW	3508	34.4	102	3571	34.4	104	3617	34.4	105	3736	34.4	109
MPS4-ML	3952	40.1	99	4023	40.1	100	4075	40.1	102	4209	40.1	105
MPS4-HL	4997	49.5	101	5087	49.5	103	5152	49.5	104	5322	49.5	108
MPS4-VL	5872	54.1	109	5978	54.1	110	6054	54.1	112	6254	54.1	116
MPS4-XL	6980	66.5	105	7105	66.5	107	7196	66.5	108	7433	66.5	112
MPS8-XW	4465	40.0	112	4546	40.0	114	4604	40.0	115	4755	40.0	119
MPS8-VW	5689	53.4	107	5792	53.4	108	5866	53.4	110	6059	53.4	113
MPS8-MW	6343	60.8	104	6457	60.8	106	6539	60.8	108	6755	60.8	111
MPS8-LW	7016	68.8	102	7142	68.8	104	7233	68.8	105	7472	68.8	109
MPS8-ML	7904	80.2	99	8046	80.2	100	8149	80.2	102	8418	80.2	105
MPS8-HL	9994	99.0	101	10174	99.0	103	10304	99.0	104	10643	99.0	108
MPS8-VL	11744	108.2	109	11956	108.2	110	12108	108.2	112	12507	108.2	116
MPS8-XL	13959	133.0	105	14210	133	107	14392	133	108	14866	133.0	112