


## PH 5 MINI

Designed by Poul Henningsen

---



---

### Description

The fixture provides 100% glare-free light. Its design is based on the principle of a reflective three-shade system that directs most of the light downward. The fixture emits both downward and lateral light, thus illuminating itself.

---

### Variants

| VARIANT NUMBER | COLOR, RAL          | W / H / L (IN) / W (LB)       |
|----------------|---------------------|-------------------------------|
| 10000142110    | WHITE CLASSIC, 336  | 11.8 / 6.4 / 11.8 IN / 2.0 LB |
| 10000142113    | WHITE MODERN, 337   | 11.8 / 6.4 / 11.8 IN / 2.0 LB |
| 10000142115    | HUES OF GREEN, 331  | 11.8 / 6.4 / 11.8 IN / 2.0 LB |
| 10000142116    | HUES OF GREY, 333   | 11.8 / 6.4 / 11.8 IN / 2.0 LB |
| 10000142117    | HUES OF ORANGE, 328 | 11.8 / 6.4 / 11.8 IN / 2.0 LB |
| 10000142118    | HUES OF RED, 330    | 11.8 / 6.4 / 11.8 IN / 2.0 LB |
| 10000142119    | HUES OF ROSE, 329   | 11.8 / 6.4 / 11.8 IN / 2.0 LB |
| 5741917457     | HUES OF BLUE, 332   | 11.8 / 6.4 / 11.8 IN / 2.7 LB |
| 5741918223     | COP LAC, 930        | 11.8 / 6.4 / 11.8 IN / 5.0 LB |
| 5741919251     | BRASS, 936          | 11.8 / 6.4 / 11.8 IN / 3.9 LB |
| 5741934359     | MONOCHROME BLUE     | 11.8 / 6.4 / 11.8 IN / 2.7 LB |
| 5741934456     | MONOCHROME WHITE    | 11.8 / 6.4 / 11.8 IN / 2.7 LB |
| 5741934906     | MONOCHROME BLACK    | 11.8 / 6.4 / 11.8 IN / 2.7 LB |

---

# louis poulsen

## Materials & Finishes

### MATERIALS

Shades and anti-glare disc: Spun aluminum, spun copper or spun brass. Struts: rolled aluminum.

### FINISHES

Classic (white) or Modern White: Matte powder-coated.

Monochrome Black, Monochrome Blue, Monochrome White, Hues of Blue, Hues of Green, Hues of Gray, Hues of Orange, Hues of Red, Hues of Rose: Matte wet-painted.

Metal versions: Polished brass or copper and white, matte powder-coated. Please note that the copper and brass surfaces are untreated. This means that the surfaces will change over time and develop a patina.

---

## Mounting

Canopy and cord: Black for Monochrome Black, White for all other colors. Cord type: 3-conductor, 18 AWG cloth-covered power cord. Cord length: 12 feet. For mounting instructions, see download section on the product detail page.

---

## Information

Electrical:

System Wattage: 6W

LED Wattage: 6 W

Delivered lumens: 156 - 142

Efficacy: 26.0 lm/W - 23.7 lm/W

Certifications:

cULus, Damp Location

Protection class IP20


Controllability: Phase dimming

Actual performance dependent upon screw-base lamp used. For the E-socket product variants, bulbs are not included. LED light source is part of the product.


---

## Light distribution diagrams


### CARTESIAN



### ISOLUX



### POLAR



## Variant Options

For particular variant options, please check our online Product Variants Configurator on the product detail page.

| VARIANT NO. | LIGHT SOURCE      | VOLTAGE/FRQ | LUMEN | FEATURES | CABLE             |
|-------------|-------------------|-------------|-------|----------|-------------------|
| 10000142110 | 1x10W A-15/medium | 120V        | 117   | -        | White fabric cord |
| 10000142113 | 1x10W A-15/medium | 120V        | 156   | -        | White fabric cord |
| 10000142115 | 1x10W A-15/medium | 120V        | 142   | -        | White fabric cord |
| 10000142116 | 1x10W A-15/medium | 120V        | 142   | -        | White fabric cord |
| 10000142117 | 1x10W A-15/medium | 120V        | 147   | -        | White fabric cord |
| 10000142118 | 1x10W A-15/medium | 120V        | 147   | -        | White fabric cord |
| 10000142119 | 1x10W A-15/medium | 120V        | 147   | -        | White fabric cord |
| 5741917457  | 1x10W A-15/medium | 120V        | 142   | -        | White fabric cord |
| 5741918223  | 1x10W A-15/medium | 120V        | 117   | -        | White fabric cord |
| 5741919251  | 1x10W A-15/medium | 120V        | 117   | -        | White fabric cord |
| 5741934359  | 1x10W A-15/medium | 120V        | 259   | -        | White fabric cord |
| 5741934456  | 1x10W A-15/medium | 120V        | 334   | -        | White fabric cord |
| 5741934906  | 1x10W A-15/medium | 120V        | 258   | -        | Black fabric cord |