
Specification sheet 1/3

TOLDBOD POLE




Design

Louis Poulsen A/S

Product description

Stepped aluminum pole with a 5 inch bottom diameter, stepped at 3 feet height to 3 inch diameter. Provided with fabricated aluminum post arm designed specifically for Toldbod 11.4 Post.

Variant options



Specification sheet 2/3
Toldbod Pole

Material

Pole: extruded aluminum, 0. 156" wall thickness, heat treated to T6. Base plate: die cast aluminum. Base cover: pressure cast aluminum. Anchor bolts: Hot-dipped galvanized steel. Standard finish are matte, textured surface powder coat with minimum 2 mils thickness. Base cover pre-treated with zinc primer for improved resistance to corrosion.

Weight

Min: 44.092 lbs Max: 48.502 lbs

Other functions

Available with GFCI 120V outlet with aluminum cover in matching powder coat finish. Alternative heights, arm lenghts, and wall thicknesses. Hardware with tamper-resistant drive.

Mounting

Mounted to a concrete base with 4 anchor bolts of 3/4" diameter x 24" lenghth, on a bolt circle of 9.2" diameter. Anchor bolts to be embedded into a concrete foundation by others. Hinged base allows access to pole bottom entry.

Dimensions

10 FT, 12 FT

Finish

Black, Natural paint aluminum

Variant options

Dimension	Col	or	Variant number
12 FT		Black	10000147535
10 FT		Natural paint aluminum	7133004
12 FT		Natural paint aluminum	7135004
10 FT		Black	10000147534