



8104HICA

120V-60Hz

Catalog #:		Type
Project:		Date
Prepared by:		

6" IC Airtight Shallow Frame-In



DESCRIPTION

An ideal solution for use where vertical installation space is limited to 2"x6" construction. The 8104HICA housing balances power, efficiency and cost to bring you the options needed to complete a variety of residential or commercial projects with a reliable and modern down light solution.

DESIGN FEATURES

Electrical

- 120V-60Hz
- Incandescent, 75W Max
- Self-ballasted CFL 23W max

Housing

- Incandescent, 75W max
- Sturdy aluminum construction
- Suitable for use in new construction applications
- IC Rated for direct contact with batt type fiberglass insulation
- Thermally protected against improper lamping
- 5-1/2" height allows use in 2" x 6" joist construction
- Adjustable socket bracket plate for proper positioning of different lamp types
- Adjusts to accommodate up to 1-1/4" ceiling thickness

Junction Box

- J-box is listed for through-branch circuit wiring (4in – 4out), with seven 1/2" knockouts and four non-metallic cable knockouts with strain clamps
- 3-port quick connectors pre-installed in all J-boxes

Bar Hanger

- Pre-installed bar hangers allow the housing to be positioned at any point within 24" joist span
- Pre-installed captive nails on bar hangers
- Bar hangers can be turned 90° on the plaster frame
- Bar hangers are designed to fit T-bar spine without additional clamps for use in drop ceilings

Dimensions (H x L x W)

- 5-1/2" x 9-3/8" x 7"
- Aperture: 6-1/4"

Certifications

- cETLus certified for damp location and feed through wire
- 1 year limited warranty
- Meets Washington's State energy code for restricted airflow

Lamp

- A19
- PAR30
- BR30



8104HICA

120V-60Hz

Specification & Ordering

HOUSING


Example: 8104HICA

Housing #	Wattage
 8104HICA	
8104HICA	75 Max (trim Permitting)

LED Trims


MODULE/TRIM

Example: 8523WH

Module/Trim #	Finish
 8523 5/6" LED Baffle 12.5W, 850lms 90 CRI 3000K/4000K	WH : White BK : Black BN : Brushed Nickel OB : Bronze


MODULE/TRIM

Example: 8563WH

Module/Trim #	Finish
 8563 LED Retrofit 15W, 765lms 80/90 CRI 3000K/4000K	WH : White BK : Black BN : Brushed Nickel OB : Bronze CL : Clear


MODULE/TRIM

Example: 8538WH-R

Module/Trim #	Finish
 8538__-R LED Disk Light 15W, 850lms 3000K, 4000K	WH : White BK : Black BN : Brushed Nickel OB : Bronze


MODULE/TRIM

Example: 8564WH

Module/Trim #	Finish
 8564 LED Retrofit Eyeball 12W, 90 CRI 3000K, 900lms	WH : White BN : Brushed Nickel OB : Bronze


MODULE/TRIM

Example: 8556WH-R

Module/Trim #	Finish
 8556__-R LED Retrofit Disk 15W, 1000lms, 90 CRI 2700K, 3000K, 4000K, 5000K	WH : White BK : Black BN : Brushed Nickel OB : Bronze

MODULE/TRIM

Example: 8565BN

Module/Trim #	Finish
 8565 LED Retrofit Baffle 15W, 90 CRI 3000K, 1200lms	BN : Brushed Nickel OB : Bronze

MODULE/TRIM

Example: 8562WH

Module/Trim #	Finish
 8562 LED Retrofit Gimbal 13W, 80 CRI 3000K, 900lms	WH : White BK : Black BN : Brushed Nickel OB : Bronze

MODULE/TRIM

Example: 8566WH

Module/Trim #	Finish
 8566 LED Retrofit Gimbal 15W, 90 CRI 3000K, 1200lms	WH : White BN : Brushed Nickel OB : Bronze

TEL: 800.937.6925 | Fax: 800.207.9509 | www.rplighting.com

Specifications and dimensions subject to change without notice.


10/2/2020 R1


8104HICA


120V-60Hz

Specification & Ordering

LED Trims


MODULE/TRIM		Example: 8567WH	
Module/Trim #	Finish		
			
	8567 LED Retrofit Eyeball 15W, 90 CRI 3000K, 1200lms	WH : White BN : Brushed Nickel OB : Bronze	


MODULE/TRIM		Example: 8569WH-R	
Module/Trim #	Finish		
			
	8569__-R LED Disk Light 15W, 1240lms, 84 CRI 3000K/4000K	WH : White BN : Brushed Nickel OB : Bronze	


ORDERING GUIDE					Example: 8568WH-90-3K	
Model #	Finish	CRI	CCT			
						
	8568 6" LED Baffle Trim with Lens; 17W, 1240 lms	BK : Black OB : Oil Rubbed Bronze CL : Clear WH : White	-90 -90	-3K : 3000K* -4K : 4000K		


* Not available in Clear (CL)


Incandescent Trims

MODULE/TRIM		Example: 8502FS-BR-WH	
Module/Trim #	Finish		
			
	8502FS 8502FS-BR 8502FS-M	WH : White	

MODULE/TRIM		Example: 8509DR-BR-WW	
Module/Trim #	Finish		
			
	8509DR 8509DR-BR 8509DR-M	WH : White	

MODULE/TRIM		Example: 8504BK	
Module/Trim #	Finish		
			
	8504	BK : Black	

MODULE/TRIM		Example: 8511WH	
Module/Trim #	Finish		
			
	8511	WH : White	

MODULE/TRIM		Example: 8505ALWW	
Module/Trim #	Finish		
			
	8505AL 8505AL-BR 8505AL-M	WH : White	