

| A | В | |
|---------|----------|--|
| 3.0 | 5.0 | |
| 76.2 mm | 127.0 mm | |

3" ROUND DIRECT

PAR SFRIFS



C0304INC - CEILING MOUNT

APPLICATION

3" round x 4" high compact cylinder series for use with PAR lamps.

FEATURES

Spectrum's Cylinder series provides traditional architectural style with high performance energy efficient illumination. Rugged design with flexible mounting, finish and lamping options make these extremely versatile fixtures.

FINISH

Multi-stage polyester powder-coat process applied on our dedicated paint lines. See mounting and color pages for standard finishes. All exposed materials are chromate pretreated to resist corrosion.

ELECTRONICS

120 Volt standard.

CONSTRUCTION

Drawn .040 aluminum fixture housing. Stainless steel hardware with galvanized steel brackets to resist corrosion.

LABELS

ETL/UL listed for damp locations. Manufactured and built to UL standard No. 1598.

| SERIES | LAMP | MOUNTING ¹ | FINISH ³ |
|----------|-------|--|--|
| | | | |
| C0304INC | PAR16 | HM ² Hang Straight | MW ⁴ Matte White |
| | PAR20 | PM ² Rigid Pendant Mount | MB ⁴ Matte Black |
| | | AT ² Hang Straight All Thread | PT ⁴ Platinum Silver |
| | | SM Surface Mount | CC Custom Color |
| | | | |
| | | | See Page 3 for Full Range of Color Options (83-90095) |
| | | | |

EXAMPLE: C0304INCPAR16/HM36MW

NOTES:
1 See Mounting Page for Details on Components and Finishes
2 Specify Length in Inches: See Mounting Page for Available Lengths
3 See Color Page for More Options/Consult Factory for Special Finishes
4 Standard Finishes



PROJECT:







Dimensions and values shown are nominal. Spectrum Lighting continually works to improve products and reserves the right to make changes which may after the performance or appearance of products.

3" ROUND DIRECT

FOCUSED ILLUMINATION / FIXTURE OPTIONS

STANDARD FINISHES









MOUNTING TYPES










SM SURFACE MOUNT



COLOR OPTIONS - POWDER COAT PAINT FINISHES

NOTE: NO PRINTED IMAGE CAN EQUAL THE EXACT COLOR OF FINISH ON METAL. SEE INDIVIDUAL SPECIFICATION SHEETS OR CONSULT FACTORY FOR ADDITIONAL INFORMATION.



STANDARD CORD / STEM / CANOPY FINISHES

PAINT TIMES

| FIXTURE COLOR | STANDARD CORD COLOR | STANDARD CANOPY / STEM COLOR |
|-----------------------------|---------------------|------------------------------|
| Matte White, Textured White | Matte White | Matte White |
| Gloss White | Matte White | Gloss White |
| Matte Black, Textured Black | Matte Black | Matte Black |
| All Others | Matte Black | Same Color as Fixture |
| Custom Color | Contact Factory | Contact Factory |

| TIER | COST | AVERAGE PAINT TIME* |
|----------------------------|-----------------|---------------------|
| Tier 1 - Standard Finishes | \$ | 0 |
| Tier 2 - Typical Finishes | \$\$ | 00 |
| Custom Color | Contact Factory | Contact Factory |

^{*}CONTACT FACTORY FOR SPECIFIC PRODUCT LEAD TIMES

TIER 1 - STANDARD FINISHES

| MW | GW | PT | MB | BZ |
|-------------|-------------|-----------------|-------------|-----------|
| Matte White | Gloss White | Platinum Silver | Matte Black | Bronze |
| | | | | |

TIER 2 - TYPICAL FINISHES



CUSTOM COLOR FINISHES

CONTACT FACTORY

CC Custom Color



^{*}UNAVAILABLE FOR WET LOCATION

