

#### Dimensioned with WD1812INC

SERIES	Α	В
WD1611INC	11.8	16.0
WD1812INC	14.6	17.8
WD2015INC	20.0	15.0

### **WAREHOUSE DOME**

### CLASSIC SERIES / INCANDESCENT



#### WD-INC - INTERIOR

#### APPLICATION

The Warehouse Dome is designed for decorative general illumination. INC Series is designed for indoor damp locations.

Spectrum Lighting's RLM Classics are reproductions of traditional lighting fixtures reimagined with modern INC light sources and materials. The wide range of options for illumination, mounting, enclosures, guards and finishes allows for creative fixture specification and design. Available in three sizes.

#### **FINISH**

Multi-stage polyester powder-coat process applied on our dedicated paint lines. Variety of standard and custom finishes are available. Matte White interior finish standard. Custom Color interior finish available.

#### **ELECTRONICS**

E26 Edison medium base 120V socket for incandescent or LED lamps. Contact factory for other available socket options.

#### CONSTRUCTION

Fixture shades are spun in our factory from 0.063 high purity aluminum. Mounting hub is die-cast aluminum.

#### **CODE COMPLIANCE**

ARRA Compliant. ETL/CSA listed for dry/damp locations. Manufactured and tested to UL standards No. 1598/8750.

SERIES	ACCESSORIES <sup>1</sup>	MOUNTING <sup>4</sup>	INTERIOR FINISH	EXTERIOR FINISH
WD1611INC WD1812INC WD2015INC	3" DIAMETER  FJ12 3"x6.5" Frosted Glass GJ1 3"x6.5" Clear Glass PJ3 3"x6.5" Prismatic Glass AJ1 3"x6.5" Red Glass GRJ1 3"x6.5" Red Glass GRJ1 3"x6.5" Green Glass BLJ1 3"x6.5" Blue Glass WJ1 Wire Guard CG1 Cast Wire Guard SS1 Side Lamp Shield BS1 Bottom Lamp Cup WL³ Wet Location  4" DIAMETER  FJ2² 4"x8" Frosted Glass GJ2 4"x8" Clear Glass WJ2 Wire Guard WL³ Wet Location GLASS SOX Micro Prism Solite™ Lens	WALL MOUNT  CP64 CP3 PA_5 Wall Pipe Interface CP6 Decorative Cover Mounting Arm Style  CEILING MOUNT HMM6 HMAT6 HMAT6 PM6 PM6 HC CD6 CD6 CM6 CM7 CHN6 CHN6 CHN6 WALL MOUNT Harg Straight Pendant Adjustable Length Hang Straight Pendant Pendant/Straight Mount Hook/Cord Cord and Cable Mount Cord Mount Chain Mount	MWI7 MBI Black PTI Platinum SNI Sun Gold GAI Galvanized ORI Orange YLI BLI Blue GRI Pub Green RDI Red CCI® FCI FIxture Color Interior	GW Gloss White MW Matte White MB Matte Black BZ Bronze PT Platinum Silver GA Galvanized CH Charcoal SN Sun Gold EG Evergreen BL Blue Streak AY Aero Yellow RD Red Baron CO Copper Metallic CCs Custom Color

#### **EXAMPLE: WD1812INCFJ1HM36MWICH**

NOTES:
1 See Enclosures & Guards Page for Wire Guards and Additional Options 2 Standard Enclosure 3 PM Mounting Recomended 4 See Mounting Pages Options and Details on Components and Finishes 5 See Mounting Page for Available Arm Options 6 Specify Length in Inches 7 Standard Interior Finish
8 See Color Page for More Options/Consult Factory for Special Finishes







Dimensions and values shown are nominal. Spectrum Lighting continually works to improve products and reserves the right to make changes which may alter the performance or appearance of products.







## **RLM ENCLOSURES & GUARDS**



SOME OPTIONS NOT AVAILABLE ON ALL FIXTURES, CONSULT SPECIFICATION SHEETS. PLEASE SPECIFY ENCLOSURE WHEN ORDERING FIXTURES. NOTE: FROSTED JAR PRODUCES BEST RESULTS WITH LED FIXTURES

#### **ENCLOSURES**



3.0













4 N









8.0





#### **COLOR ENCLOSURES**

3.0



6.5















**FIXTURE WIRE GUARDS** 









#### **ENCLOSURE WIRE GUARDS**























#### **DOORS**











Dimensions shown are nominal. Spectrum Lighting is continually improving products and reserves the right to make changes that will not alter performance or appearance with or without written notice.



ישטע	111	r - I	Р
PRC	JL	$\sim$	






# RLM INC WALL MOUNTING OPTIONS




SOME OPTIONS NOT AVAILABLE ON ALL FIXTURES, CONSULT SPECIFICATION SHEETS. SEE INDIVIDUAL SPECIFICATION SHEETS OR CONSULT FACTORY FOR ADDITIONAL INFORMATION. NOTE: THIS IS TYPICAL OF RLM SPECIFICATION FOR WALL MOUNTING. INDIVIDUAL FIXTURES OR PROJECTS MAY HAVE SPECIALIZED REQUIREMENTS.


#### **WALL MOUNT CANOPIES**


CP6 - MOUNTS DIRECTLY TO WALL OR OCTAGON STYLE J-BOX





#### **WALL MOUNTING PIPES**



































#### **CUSTOMIZED WALL MOUNTING PIPES**









Dimensions and values shown are nominal. Spectrum Lighting continually works to improve products and reserves the right to make changes which may alter the performance or appearance of products.



PROJECT:	TYPE:
CAT. NO.:	





## **RLM INC CEILING MOUNT OPTIONS**



SOME OPTIONS NOT AVAILABLE ON ALL FIXTURES, CONSULT SPECIFICATION SHEETS. SEE INDIVIDUAL SPECIFICATION SHEETS OR CONSULT FACTORY FOR ADDITIONAL INFORMATION. NOTE: THIS IS TYPICAL OF RLM SPECIFICATION FOR CEILING MOUNTING. INDIVIDUAL FIXTURES OR PROJECTS MAY HAVE SPECIALIZED REQUIREMENTS.

#### **CEILING MOUNT CANOPIES - CANOPIES MOUNT TO OCTAGON STYLE J-BOX**

PM\*

**PM3 -** 3"

**PM6 -** 6"

PM12 - 12"


PM18 - 18"

PMLLC(XX)

Custom Length

(Specify in Inches)







#### MOUNTING TYPES



ORDER: HM (Length) SPECIFY LENGTH:

**HM3 -** 3" **HM24 -** 24" **HM6 -** 6" **HM36 -** 36" **HM12 -** 12" **HM48 -** 48" HM18 - 18" HM72 - 72" HMLC(XX)

Custom Length (Specify in Inches)

HMAT\* HANG STRAIGHT ALL THREAD 45° SWIVEL 1/2" STEM - 1/4" IP FIELD. CUTABLE 45 ORDER: HMAT (Length) SPECIFY LENGTH:

HMAT24 - 24" HMAT36 - 36" HMAT48 - 48" HMAT72 - 72"

Custom Length (Specify in Inches)

SLIP "PIPE COVER" OVE

\*MAXIMUM ONE PIECE STEM LENGTH IS 72", LONGER LENGTHS ARE POSSIBLE USING MULTIPLE STEMS AND COUPLERS.

ORDER: PM (Length) SPECIFY LENGTH:

HMAT12 - 12"

HMATLC(XX)





PM24 - 24"

PM36 - 36"

PM48 - 48"

PM72 - 72"

ORDER: HCP (Length) SPECIFY LENGTH:

OPTIONAL PLUG

HC36 - 36" HC72 - 72" HC144 - 144" HCLC(XX)

Custom Length (Specify in Inches)

PLUG

LP120-120V Twist Lock LP277-277V Twist Lock

CORD / CABLE MOUNT SJ CORD WITH 1/16 SS CABLE



ORDER: CD (Length) SPECIFY LENGTH: CD36 - 36"

CD72 - 72" CD144 - 144" CDLC(XX) Custom Length

(Specify in Inches)

CORD MOUNT SJ CORD WITH STRAIN RELIEF

CM



ORDER: CM (Length) SPECIFY LENGTH: CM36 - 36" CM72 - 72"

(Specify in Inches)

CM144 - 144" CMLC(XX) Custom Length CHN CHAIN MOUNT SJ CORD / DECORATIVE CHAIN



ORDER: CHN (Length) SPECIFY LENGTH:

CHN36 - 36" CHN72 - 72" CHN144 - 144" CHNLC(XX)

Custom Length (Specify in Inches)

#### **MOUNTING FINISH**

Standard Canopy / Stem or Cord mounting finish is matte white. Black fixtures receive matte black mounting finish, silver fixture receive silver mounting finish. Custom colors and fixture color canopy and stem are available upon request.

#### MOUNTING COMPONENTS FINISH FIXTURE COLOR CANOPY / STEM / CORD COLOR Matte White, Textured White Matte White Matte Black, Textured Black, Bronze, Oil Rubbed Bronze Matte Black Platinum, Textured Silver, Silver Matte White All Others Canopy / Stem Same Color as Fixture

Dimensions and values shown are nominal. Spectrum Lighting continually works to improve products and reserves the right to make changes which may alter the performance or appearance of products.



PROJECT: TYPE: CAT. NO.:

